

SPECIFICATION CLAUSE

POWERDRAIN S200K - LOAD CLASS B

GENERAL

THE SURFACE DRAINAGE SYSTEM SHALL BE POLYMER CONCRETE S200K CHANNEL SYSTEM WITH DUCTILE IRON EDGE RAILS AS MANUFACTURED BY ACO POLYMER PRODUCTS, INC.

MATERIALS

MATERIALS CHANNELS SHALL BE MANUFACTURED FROM POLYESTER RESIN POLYMER CONCRETE WITH AN INTEGRALLY CAST-IN DUCTILE IRON EDGE RAIL. MINIMUM PROPERTIES OF POLYMER CONCRETE WIL DE AS COLLOWS:		
BE AS FOLLOWS: COMPRESSIVE STRENGTH: FLEXURAL STRENGTH: TENSILE STRENGTH: WATER ABSORPTION: FROST PROOF DILUTE ACID AND ALKALI RESISTANT B117 SALT SPRAY TEST COMPLIANT	14,000 PSI 4,000 PSI 1,500 PSI 0.07% YES YES YES	
THE SYSTEM SHALL BE 8" (200mm) NOMIN INTERNAL WIDTH WITH A 10.2" (260mm) OV WIDTH AND A BUILT-IN SLOPE OF 0.5%. C INVERT SHALL HAVE DEVELOPED "V" SHA CHANNELS SHALL BE INTERLOCKING WIT MALE/FEMALE JOINT.	/ERALL HANNEL PE. ALL	
THE COMPLETE DRAINAGE SYSTEM SHAL ACO POLYMER PRODUCTS, INC. ANY DEV PARTIAL SYSTEM DESIGN AND/OR IMPRO INSTALLATION WILL VOID ANY AND ALL W. PROVIDED BY ACO POLYMER PRODUCTS,	/IATION OR PER ARRANTIES	
CHANNEL SHALL WITHSTAND LOADING TO LOAD CLASS AS OUTLINED BY EN 1433. GI SHALL BE APPROPRIATE TO MEET THE SY CLASS SPECIFIED AND INTENDED APPLIC GRATES SHALL BE SECURED USING EITHI 'POWERLOK' BOLTLESS LOCKING SYSTEM BOLT LOCKING OPTION. CHANNEL AND GI BE CERTIFIED TO MEET THE SPECIFIED EI CLASS. THE SYSTEM SHALL BE INSTALLEI ACCORDANCE WITH THE MANUFACTUREI INSTRUCTIONS AND RECOMMENDATIONS	RATE TYPE (STEM LOAD ATION. ER THE 4 OR THE 4 RATE SHALL N 1433 LOAD D IN R'S	

ACO Polymer Products, Inc.

Haunched Paver Pavement	825 W. Beechcraft St	9470 Pinecone Dr.	4211 Pleasant Rd.
	Casa Grande, AZ 85122	Mentor, OH 44060	Fort Mill, SC 29708
ALLATION DRAWING - ACO DRAIN	Tel: 520-421-9988	Tel: 440-639-7230	Tel: 440-639-7230
	Fax: 520-421-9899	Fax: 440-639-7235	Fax: 803-802-1063

Arizona Tel: 888-490-9552

e-mail: sales@acousa.com

Ohio Tel: 800-543-4764

www.acousa.com

South Carolina Tel: 800-543-4764