


# SlabDrain - H200SK-13 iron edge channel system with slotted grate


### H200SK-13













## Outlet flow rates

Product	Outlet size (Sch. 40)	Invert Depth	GPM	CFS
H200SK-13 channel	4" round	4.00	108	0.24
H200SK-13 channel	6" round	4.00	243	0.54

 $\textbf{Note:} \ \mathsf{These} \ \mathsf{are} \ \mathsf{the} \ \mathsf{pipe} \ \mathsf{flow} \ \mathsf{rates} \ \mathsf{at} \ \mathsf{the} \ \mathsf{specified} \ \mathsf{outlet}, \ \mathsf{NOT} \ \mathsf{channel} \ \mathsf{flow} \ \mathsf{rates}.$ 



Apr 13/1 www.ACODrain.us

# SlabDrain - H200SK-13 iron edge channel system with slotted grate



Description	Part No.	Invert Depth inches mm		Weight lbs.
<b>H200SK-13 - Polyester polymer concrete</b> H200SK-13 Neutral channel - 39.37" (1m)	93456	4.00	100	122.4
H200SK-13 closing end cap	93460	4.00	100	1.0

#### Notes

- 1. Add nominal 1.18" (30mm) to invert depth for overall channel depth
- 2. Preformed Sch. 40 4" & 6" dia. drill-out cast on underside of each channel
- 3. Use QuickLok/PowerLok grate removal tool to remove grates (Part # 01318)

## **Specifications**

#### Genera

The surface drainage system shall be ACO Drain SlabDrain H200SK-13 complete with slotted gratings secured with 'PowerLok' locking as manufactured by ACO Polymer Products, Inc. or equal approved.

#### Materials

The trench system bodies shall be manufactured from polyester polymer concrete with minimum properties as follows:

Compressive strength: 14,000 psi Flexural strength: 4,000 psi Water absorption 0.07% Frost proof Salt proof

Dilute acid and alkali resistant

The nominal clear opening shall be 7.87" (200mm) with overall width of 10.24" (260mm). Pre-cast units shall be manufactured with neutral invert and have a wall thickness of at least 0.5" (13mm). Each unit will feature a male to female interconnecting end profile. Units shall have horizontal cast in anchoring features on the outside wall to ensure maximum mechanical bond to the surrounding bedding material and pavement surface. The ductile iron edge rail will be integrally cast in by the manufacturer to ensure maximum homogeneity between polymer concrete body and edge rail. Each edge rail shall be at least 1/4" (6mm) thick.

#### Grates

Slotted ductile iron shall be independently certified to meet Load Class F to EN 1433 · 200,000 lbs or able to withstand 4,182 psi. After removal of grates there shall be uninterrupted access to the trench to aid maintenance.

### Installation

The trench drain system shall be installed in accordance with the manufacturer's installation instructions and recommendations.

## ACO Polymer Products, Inc.

#### **Northeast Sales Office**

P.O. Box 245 Chardon, OH 44024 Tel: (440) 285-7000 Toll free: (800) 543-4764 Fax: (440) 285-7005

#### **West Sales Office**

P.O. Box 12067 Casa Grande, AZ 85130 Tel: (520) 421-9988 Toll Free: (888) 490-9552 Fax: (520) 421-9899

#### **Southeast Sales Office**

4211 Pleasant Road Fort Mill, SC 29708 Toll free: (800) 543-4764 Fax: (803) 802-1063



Electronic Contact: info@ACODrain.us www.ACODrain.us



• April 19, 2013 ACO Polymer Products, Inc. This information is believed to be accurate but it is not guaranteed to be so. We cannot assume liability for results that buyer obtains with our product since conditions of use are beyond the control of the company. It is the customers responsibility to evaluate suitability and safety of product for his own use. ACO Polymer Products inc. reserves the right to change the product and specifications without notice.