




Surface Water Management



2021

Systems
Drain Price List
3 of 5

ACO Drain

Effective June 1, 2021

ACO Drain Systems
2021 Price List

System pricing per foot is for guidance only. It is intended to give a quick reference price for comparison. Prices are in US Dollar and rounded to the nearest cent.

Price Assumptions:

- Channels - Prices are based upon using one-meter channels for polymer concrete systems.
- Grates - Grates are priced at their longest available length; i.e., if a grate is available in both 1 m and 0.5 m lengths, prices shown are based on the 1 m length.
- Lockings - All system prices include locking bars where available.
- Fabrications - Priced separately; refer to Fabrication Pricing for details.

K100 channel with galvanized edge rail and specified DrainLok grating \$/ft

LOAD CLASS A - EN 1433 - 3,372 LBS - 116 PSI	
Type 410D Galvanized perforated grates	58.08
Type 420D Galvanized slotted	51.45
Type 494D Black Plastic longitudinal	67.38
Type 495D Gray Plastic longitudinal	67.38
Type 496D Tan Plastic longitudinal	67.38
LOAD CLASS B - EN 1433 - 28,101 LBS - 967 PSI	
Type 438D Galvanized longitudinal	70.81
LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 492D Black Plastic slotted	74.24
Type 425D Galvanized slotted	68.37
Type 411D Galvanized perforated	80.18
Type 405D Galvanized mesh	78.51
Type 460D Ductile iron slotted	72.26
Type 476D Ductile iron longitudinal	88.41
Type 480D Ductile iron wave	92.68

K100 channel with galvanized edge rail, locking bars and specified QuickLok® grating \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 492Q Composite slotted	78.78
Type 479Q Ductile iron mosaic	87.93
LOAD CLASS E - EN 1433 - 134,885 LBS - 4,641 PSI	
Type 461Q Ductile iron slotted	83.05
Type 435Q Galvanized slotted	87.77
Type 478Q Ductile iron longitudinal	90.67

KS100 channel with stainless edge rail and specified DrainLok grating \$/ft

LOAD CLASS A - EN 1433 - 3,372 LBS - 116 PSI	
Type 451D Stainless perforated	137.80
Type 450D Stainless slotted	130.41
Type 494D Black Plastic longitudinal	103.51
Type 495D Gray Plastic longitudinal	103.51
Type 496D Tan Plastic longitudinal	103.51
LOAD CLASS B - EN 1433 - 28,101 LBS - 967 PSI	
Type 447D Stainless longitudinal	290.24
Type 492D Black Plastic slotted	110.37
LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 455D Stainless slotted	192.23
Type 465D Stainless perforated	192.23
Type 430D Stainless mesh	239.25
Type 460D Ductile iron slotted	108.38
Type 476D Ductile iron longitudinal	124.54
Type 480D Ductile iron wave	128.81

KS100 channel with stainless edge rail, locking bars and specified QuickLok® grating \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 492Q Composite slotted	114.91
Type 479Q Ductile iron mosaic	124.05
LOAD CLASS E - EN 1433 - 134,885 LBS - 4,641 PSI	
Type 461Q Ductile iron slotted	119.18
Type 490Q Stainless slotted	216.89
Type 478Q Ductile iron longitudinal	126.80

K200 channel with galvanized edge rail and specified DrainLok grating \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 660D Ductile iron slotted	152.52
Type 676D Ductile iron longitudinal	155.41
Type 680D Ductile iron wave	174.31

K200 channel with galvanized edge rail, locking bars and specified QuickLok® grating \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 611Q Galvanized perforated	184.52
Type 605Q Galvanized mesh	222.78
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
Type 678Q Ductile iron longitudinal	213.03
Type 661Q Ductile iron slotted	208.91

KS200 channel with stainless edge rail and specified DrainLok grating \$/ft

LOAD CLASS B - EN 1433 - 28,101 LBS - 483 PSI	
Type 647D Stainless longitudinal	552.13
LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 660D Ductile iron slotted	222.41
Type 676D Ductile iron longitudinal	225.30
Type 680D Ductile iron wave	244.21

KS200 channel with stainless edge rail, locking bars and specified QuickLok® grating \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 665Q Stainless steel perforated	446.49
Type 630Q Stainless mesh	590.16
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
Type 678Q Ductile iron longitudinal	282.92
Type 661Q Ductile iron slotted	278.80

K300 channel with galvanized edge rail and specified DrainLok grating \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 805D Galvanized mesh	365.17
Type 860D Ductile iron slotted	234.53
Type 876D Ductile iron longitudinal	248.40
Type 880D Ductile iron wave	266.84

K300 channel with galvanized edge rail, locking bars and specified QuickLok® grating \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 811Q Galvanized perforated	358.54
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
Type 878Q Ductile iron longitudinal	316.08
Type 861Q Ductile iron slotted	316.08

KS300 channel with stainless edge rail and specified DrainLok grating \$/ft

LOAD CLASS A - EN 1433 - 3,372 LBS - 58 PSI	
Type 847D Stainless longitudinal	848.78
LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 830D Stainless mesh	1,051.83
Type 860D Ductile iron slotted	286.43
Type 876D Ductile iron longitudinal	300.30
Type 880D Ductile iron wave	318.75

KS300 channel with stainless edge rail, locking bars and specified QuickLok® grating \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 865Q Stainless steel perforated	724.01
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
Type 878Q Ductile iron longitudinal	367.99
Type 861Q Ductile iron slotted	367.99

MiniKlassik K50 channel with galvanized edge rail and specified DrainLok grates \$/ft

LOAD CLASS A - EN 1433 - 3,372 LBS - 116 PSI	
Type 200D Plastic mosaic grate - black	39.58
Type 201D Plastic mosaic grate - gray	41.72
LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 276D Ductile iron longitudinal grate	61.43

MiniKlassik K50 channel with galvanized edge rail and specified non-locking grates

LOAD CLASS A - EN 1433 - 3,372 LBS - 116 PSI	
Type 210 Galvanized perforated grate	53.13
Type 220 Galvanized slotted grate	46.49

MiniKlassik KS50 channel with stainless edge rail and specified DrainLok grates \$/ft

LOAD CLASS A - EN 1433 - 3,372 LBS - 116 PSI	
Type 200D Plastic mosaic grate - black	54.67
Type 201D Plastic mosaic grate - gray	56.81
Type 247D Stainless longitudinal grate	200.99
LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 276D Ductile iron longitudinal grate	76.52

MiniKlassik KS50 channel with stainless edge rail and specified non-locking grates \$/ft

LOAD CLASS A - EN 1433 - 3,372 LBS - 116 PSI	
Type 251 Stainless perforated grate	97.10
Type 250 Stainless slotted grate	87.27

K100 channel with galvanized edge rail and specified Brickslot top \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 441 Brickslot 100	95.35
Type 470 Heel Resistant Brickslot 100	102.74

KS100 channel with stainless edge rail and specified Brickslot top \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 443 Brickslot 100	186.59
Type 472 Heel Resistant Brickslot 100	190.09

K200 channel with galvanized edge rail and specified Brickslot top \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 641 Twinslot 200	132.93
Type 670 Heel Resistant Brickslot 200	136.43

KS200 channel with stainless edge rail and specified Brickslot top \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 643 Twinslot 200	274.39
Type 673 Heel Resistant Brickslot 200	274.39

H100K-6 channel with galvanized edge rail, locking bars and specified DrainLok grating \$/ft

LOAD CLASS A - EN 1433 - 3,372 LBS - 116 PSI	
Type 410D Galvanized perforated	55.18
Type 420D Galvanized slotted	48.55
Type 494D Black plastic longitudinal	64.48
Type 495D Gray plastic longitudinal	64.48
Type 496D Tan plastic longitudinal	64.48
LOAD CLASS B - EN 1433 - 28,101 LBS - 967 PSI	
Type 438D Galvanized longitudinal	67.91
Type 492D Black plastic slotted	71.34
LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 425D Galvanized slotted	65.47
Type 411D Galvanized perforated	77.29
Type 405D Galvanized mesh	75.61
Type 460D Ductile iron slotted	69.36
Type 476D Ductile iron longitudinal	85.52
Type 480D Ductile iron wave	89.79

H100KS-6 channel with stainless edge rail, locking bars and specified DrainLok grating \$/ft

LOAD CLASS A - EN 1433 - 3,372 LBS - 116 PSI	
Type 451D Stainless perforated	132.24
Type 450D Stainless slotted	124.85
Type 494D Black plastic longitudinal	97.94
Type 495D Gray plastic longitudinal	97.94
Type 496D Tan plastic longitudinal	97.94
LOAD CLASS B - EN 1433 - 28,101 LBS - 967 PSI	
Type 447D Stainless longitudinal	284.68
Type 492D Black plastic slotted	104.80
LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 455D Stainless slotted	186.66
Type 465D Stainless perforated	186.66
Type 430D Stainless mesh	233.69
Type 460D Ductile iron slotted	102.82
Type 476D Ductile iron longitudinal	118.98
Type 480D Ductile iron wave	123.25

H100-8/H100-10 channel (no rail), locking bars and specified QuickLok® grating \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 492Q Composite slotted	78.32
Type 479Q Ductile iron mosaic	87.47
LOAD CLASS E - EN 1433 - 134,885 LBS - 4,641 PSI	
Type 461Q Ductile iron slotted	82.59
Type 435Q Galvanized slotted	87.32
Type 490Q Stainless slotted	180.30
Type 478Q Ductile iron longitudinal	90.21

H100K-8 channel with galvanized edge rail and specified DrainLok grating \$/ft

LOAD CLASS A - EN 1433 - 3,372 LBS - 116 PSI	
Type 410D Galvanized perforated grates	57.62
Type 420D Galvanized slotted	50.99
Type 494D Black Plastic longitudinal	66.92
Type 495D Gray Plastic longitudinal	66.92
Type 496D Tan Plastic longitudinal	66.92
LOAD CLASS B - EN 1433 - 28,101 LBS - 967 PSI	
Type 438D Galvanized longitudinal	70.35
Type 492D Black Plastic slotted	73.78
LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 425D Galvanized slotted	67.91
Type 411D Galvanized perforated	79.73
Type 405D Galvanized mesh	78.05
Type 460D Ductile iron slotted	71.80
Type 476D Ductile iron longitudinal	87.96
Type 480D Ductile iron wave	92.23

H100K-8 channel with galvanized edge rail, locking bars and specified QuickLok® grating \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 492Q Composite slotted	78.32
Type 479Q Ductile iron mosaic	87.47
LOAD CLASS E - EN 1433 - 134,885 LBS - 4,641 PSI	
Type 435Q Galvanized slotted	87.32

H100KS-8 channel with stainless edge rail and specified DrainLok grating \$/ft

LOAD CLASS A - EN 1433 - 3,372 LBS - 116 PSI	
Type 451D Stainless perforated	137.50
Type 450D Stainless slotted	130.11
Type 494D Black Plastic longitudinal	103.20
Type 495D Gray Plastic longitudinal	103.20
Type 496D Tan Plastic longitudinal	103.20
LOAD CLASS B - EN 1433 - 28,101 LBS - 967 PSI	
Type 447D Stainless longitudinal	289.94
Type 492D Black Plastic slotted	110.06
LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 455D Stainless slotted	191.92
Type 465D Stainless perforated	191.92
Type 430D Stainless mesh	238.95
Type 460D Ductile iron slotted	108.08
Type 476D Ductile iron longitudinal	124.24
Type 480D Ductile iron wave	128.51

H100KS channel with stainless edge rail, locking bars and specified QuickLok® grating

LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 492Q Composite slotted	114.60
Type 479Q Ductile iron mosaic	123.75
LOAD CLASS E - EN 1433 - 134,885 LBS - 4,641 PSI	
Type 461Q Ductile iron slotted	118.87
Type 490Q Stainless slotted	216.59
Type 478Q Ductile iron longitudinal	126.49

H200K-13 channel with galvanized edge rail and specified DrainLok grating \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 660D Ductile iron slotted grate	138.19
Type 676D Ductile iron longitudinal grate	141.08
Type 680D Ductile iron wave grate	159.98

H200K-13 channel with galvanized edge rail, locking bars and specified QuickLok® grating

LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 611Q Galvanized perforated grate	170.19
Type 605Q Galvanized mesh grate	208.45
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
Type 678Q Ductile iron longitudinal grate	198.70
Type 661Q Ductile iron slotted grate	194.58

H200KS-13 channel with stainless edge rail and specified DrainLok grating \$/ft

LOAD CLASS B - EN 1433 - 28,101 LBS - 483 PSI	
Type 647D Stainless longitudinal grate	530.79
LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 660D Ductile iron slotted grate	201.07
Type 676D Ductile iron longitudinal grate	203.96
Type 680D Ductile iron wave grate	222.87

H200KS-13 channel with stainless edge rail, locking bars and specified QuickLok® grating \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 665Q Stainless steel perforated grate	425.15
Type 630Q Stainless mesh grate	568.82
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
Type 678Q Ductile iron longitudinal grate	261.58
Type 661Q Ductile iron slotted grate	257.46

H300K-13 channel with galvanized edge rail and specified DrainLok grating	\$/ft
LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 805D Galvanized mesh grate	326.45
Type 860D Ductile iron slotted grate	195.81
Type 876D Ductile iron longitudinal grate	209.68
Type 880D Ductile iron wave grate	228.13

H300K-13 channel with galvanized edge rail, locking bars and specified QuickLok® grating	\$/ft
LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 811Q Galvanized perforated grate	319.82
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
Type 878Q Ductile iron longitudinal grate	277.36
Type 861Q Ductile iron slotted grate	277.36

H300KS-13 channel with stainless edge rail and specified DrainLok grating	\$/ft
LOAD CLASS A - EN 1433 - 3,372 LBS - 58 PSI	
Type 847D Stainless longitudinal grate	828.43
LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Type 830D Stainless mesh grate	1,031.48
Type 860D Ductile iron slotted grate	266.08
Type 876D Ductile iron longitudinal grate	279.95
Type 880D Ductile iron wave grate	298.40

H300KS-13 channel with stainless edge rail, locking bars and specified QuickLok® grating	\$/ft
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
Type 861Q Ductile iron slotted grate	347.64

H100SK-10 channel with ductile iron edge rail and specified grating	\$/ft
LOAD CLASS F - EN 1433 - 202,328 LBS - 6,962 PSI	
SK1 PowerLok ductile iron longitudinal grate	119.28
SK1 PowerLok ductile iron slotted grate	105.11
SK1 4-bolt ductile iron slotted grate	119.28

H200SK-13 channel with ductile iron edge rail and specified grating	\$/ft
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
SK2 PowerLok ductile iron longitudinal grate	178.89
LOAD CLASS F - EN 1433 - 202,328 LBS - 3,481 PSI	
SK2 PowerLok ductile iron slotted grate	164.86
SK2 4-bolt ductile iron slotted grate	183.92

H300SK-13 channel with ductile iron edge rail and specified grating	\$/ft
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
SK3 PowerLok ductile iron longitudinal grate	275.15
LOAD CLASS F - EN 1433 - 202,328 LBS - 3,481 PSI	
SK3 PowerLok ductile iron slotted grate	218.90
SK3 4-bolt ductile iron slotted grate	282.16

S100K channel with ductile iron edge rail and specified grating	\$/ft
LOAD CLASS F - EN 1433 - 202,328 LBS - 6,962 PSI	
SK1 PowerLok ductile iron longitudinal grate	125.53
SK1 PowerLok ductile iron slotted grate	150.38
SK1 4-bolt ductile iron slotted grate	218.98

S200K channel with ductile iron edge rail and specified grating	\$/ft
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
SK2 PowerLok ductile iron longitudinal grate	217.91
LOAD CLASS F - EN 1433 - 202,328 LBS - 3,481 PSI	
SK2 PowerLok ductile iron slotted grate	203.89
SK2 4-bolt ductile iron slotted grate	222.94

S300K channel with ductile iron edge rail and specified grating	\$/ft
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
SK3 PowerLok ductile iron longitudinal grate	361.51
LOAD CLASS F - EN 1433 - 202,328 LBS - 3,481 PSI	
SK3 PowerLok ductile iron slotted grate	305.26
SK3 4-bolt ductile iron slotted grate	368.52

FlowDrain FG200 channel with galvanized edge rail and specified grating	\$/ft
LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Galvanized bar	206.25
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
Ductile iron slotted	200.75
Ductile iron longitudinal	243.75

FlowDrain FG200 channel with stainless edge rail and specified grating	\$/ft
LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Stainless bar	534.56
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
Ductile iron slotted	280.64
Ductile iron longitudinal	323.64

FlowDrain FG200 channel with black edge rail and specified grating	\$/ft
LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI	
Galvanized bar	198.58
Stainless bar	447.00
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
Ductile iron slotted	193.08
Ductile iron longitudinal	236.08

askACO

Every project brings its own requirements and challenges. In addition to our products, ACO offers you our knowledge and services to jointly develop tailor-made solutions from planning to after-sales support. With our extensive network of sales and support representation, ACO strives to ensure that the needs of your project are professionally and efficiently met.



train

Information and further education

At ACO, we share the expertise of the global ACO Group with architects, engineers, installers, and distributors who value quality. We invite you to benefit from it.



design

Planning and optimization

There are many drainage solutions to consider when planning a project. But which option leads to the most economically and technically safest solution? We help you to find the right answer.





support

Construction advice and presence

To prevent unpleasant surprises between planning and implementation stages, we advise and support you on a project-specific basis.



care

Inspection and maintenance

ACO products are designed and produced to last. With our after-sales support, we ensure that ACO will exceed your standards for years to come.

ACO ON THE WEB

You will find further information for our products on the ACO USA website. This allows you to access technical data, images, specifications, and installation instructions during planning.

www.acousa.com

www.askACO.us

ACO Terms & Conditions



Full ACO, Inc. Terms
and Conditions of Sale

PAYMENT - All pricing is in U.S. Dollars.

TERMS - Net 30 days from date of invoice. A service charge of 1.5% per month will be charged on all invoices unpaid 30 days after invoice date (equal to 18% annually).

FREIGHT - F.O.B. ACO

PRODUCT AVAILABILITY - Call Customer Service for current stock availability and lead times.

MISSING MATERIAL - Missing material must be reported to ACO's Customer Service Department within 48 hours of receipt of shipment.

DAMAGED MATERIAL - Damaged material must be noted on the bill of lading at final destination point. The receiver must file a freight claim with the carrier. ACO is not responsible for material damaged in transit.

TAXES - All State and Federal taxes are additional.

CHANGES - ACO, Inc. reserves the right to change prices, design, and materials of any products listed at any time.

RETURNS - Returned materials are subject to a 25% restocking charge. Prior return authorization (RGA) must be obtained from ACO before any material is shipped. Returned materials are subject to the following conditions:

- a) Items returned in a condition that does not allow for refurbish and resale will not be credited.
- b) Material must be returned to ACO within 30 days of receipt of RGA.
- c) All freight costs are the responsibility of those returning the material.
- d) All non-standard and fabricated material cannot be returned for credit.

MINIMUM ORDER - Minimum order is \$250.00. Orders under \$250.00 are subject to a \$50.00 handling fee.

ACO, Inc.

West Sales Office
825 W. Beechcraft Street
Casa Grande, AZ 85122
Tel: (520) 421-9988
Toll-Free: (888) 490-9552
Fax: (520) 421-9899

Northeast Sales Office
9470 Pinecone Drive
Mentor, OH 44060
Tel: (440) 639-7230
Toll-Free: (800) 543-4764
Fax: (440) 639-7235

Southeast Sales Office
4211 Pleasant Road
Fort Mill, SC 29708
Toll-Free: (800) 543-4764
Fax: (803) 802-1063

info@acousa.com
www.acousa.com

© June 2021 ACO, Inc.

All reasonable care has been taken in compiling the information in this document. All recommendations and suggestions on the use of ACO products are made without guarantee since the conditions of use are beyond the control of the company. It is the customer's responsibility to ensure that each product is fit for its intended purpose and that the actual conditions of use are suitable. ACO, Inc. reserves the right to change products and specifications without notice.
Print #DR802 V.6

ACO. creating
the future of drainage

