

- 1. IT IS NECESSARY TO ENSURE MINIMUM DIMENSIONS SHOWN ARE SUITABLE FOR EXISTING GROUND CONDITIONS. ENGINEERING ADVICE MAY BE REQUIRED.
- 2. MINIMUM CONCRETE STRENGTH OF 4,000 PSI IS RECOMMENDED. CONCRETE SHOULD BE VIBRATED TO ELIMINATE AIR POCKETS.
- 3. EXPANSION AND CONTRACTION CONTROL JOINTS AND REINFORCEMENT ARE RECOMMENDED TO PROTECT CHANNEL AND CONCRETE SURROUND. ENGINEERING ADVICE MAY BE REQUIRED.
- 5. CONCRETE BASE THICKNESS SHOULD MATCH SLAB THICKNESS. ENGINEERING ADVICE MAY BE REQUIRED TO DETERMINE PROPER LOAD CLASS.
- 6. REFER TO ACO'S LATEST INSTALLATION INSTRUCTIONS FOR FURTHER DETAILS.

KS3-A-EPP

DATE: 08/25/15

Arizona Tel: 888-490-9552

INSTRUCTIONS AND RECOMMENDATIONS.

825 W. Beechcraft St Tel: 520-421-9988

9470 Pinecone Dr. Mentor, OH 44060 Tel: 440-639-7230 Fax: 440-639-7235

ACO Polymer Products, Inc.

SPECIFICATION CLAUSE

BY ACO POLYMER PRODUCTS, INC.

DILUTE ACID AND ALKALI RESISTANT

THE SYSTEM SHALL BE 12" (300mm) NOMINAL

CHANNELS SHALL BE INTERLOCKING WITH A

INTERNAL WIDTH WITH A 14.2" (390mm) OVERALL WIDTH AND A BUILT-IN SLOPE OF 0.5%. CHANNEL INVERT SHALL HAVE DEVELOPED "V" SHAPE. ALL

THE COMPLETE DRAINAGE SYSTEM SHALL BE BY ACO POLYMER PRODUCTS, INC. ANY DEVIATION OR PARTIAL SYSTEM DESIGN AND/OR IMPROPER INSTALLATION WILL VOID ANY AND ALL WARRANTIES PROVIDED BY ACO POLYMER PRODUCTS, INC.

CHANNEL SHALL WITHSTAND LOADING TO PROPER

LOAD CLASS AS OUTLINED BY EN 1433. GRATE TYPE

BOLTLESS LOCKING SYSTEM. CHANNEL AND GRATE

1433 LOAD CLASS. THE SYSTEM SHALL BE INSTALLED

SHALL BE CERTIFIED TO MEET THE SPECIFIED EN

CLASS SPECIFIED AND INTENDED APPLICATION.

GRATES SHALL BE SECURED USING 'QUICKLOK'

IN ACCORDANCE WITH THE MANUFACTURER'S

SHALL BE APPROPRIATE TO MEET THE SYSTEM LOAD

B117 SALT SPRAY TEST COMPLIANT

GENERAL

MATERIALS

BE AS FOLLOWS:

FROST PROOF

COMPRESSIVE STRENGTH:

FLEXURAL STRENGTH:

TENSILE STRENGTH:

WATER ABSORPTION:

MALE/FEMALE JOINT.

KS300 KLASSIKDRAIN - LOAD CLASS A

THE SURFACE DRAINAGE SYSTEM SHALL BE POLYMER CONCRETE KS300 CHANNEL SYSTEM WITH STAINLESS STEEL EDGE RAILS AS MANUFACTURED

CHANNELS SHALL BE MANUFACTURED FROM POLYESTER RESIN POLYMER CONCRETE WITH AN INTEGRALLY CAST-IN STAINLESS STEEL EDGE RAIL. MINIMUM PROPERTIES OF POLYMER CONCRETE WILL

> 4211 Pleasant Rd. Fort Mill. SC 29708 Tel: 440-639-7230 Fax: 803-802-1063

14.000 PSI

4.000 PSI

1.500 PSI

0.07%

YES

YES YES

KS300 - KLASSIKDRAIN - LOAD CLASS: A **Exposed Paver Pavement**

Casa Grande, AZ 85122 Fax: 520-421-9899

South Carolina Tel: 800-543-4764

4. THE FINISHED LEVEL OF THE CONCRETE SURROUND MUST BE APPROX. 1/8" [3mm] ABOVE THE TOP OF THE CHANNEL EDGE.

INSTALLATION DRAWING - ACO DRAIN

e-mail: sales@acousa.com

Ohio Tel: 800-543-4764