

H100SK-10



SlabDrain H100SK-10 Ductile Iron Edge

Part No.	Price \$	Weight lbs	Pallet Qty
Constant depth channel - 39.37" (1 m)	93412 259.00	43.5	28
Closing end cap	93410 36.00	1.0	-
Debris strainer for 4" bottom knockout	93488 63.00	0.2	-
SK1 Iron longitudinal grate - 19.69" (0.5 m) (Load Class F)	96096 106.00	13.9	200
SK1 Iron slotted grate - 19.69" (0.5 m) (Load Class F)	96082 78.00	12.9	200
SK1 Iron 4-bolt grate* - 19.69" (0.5 m) (Load Class F)	99590 106.00	10.8	140


H200SK-13



SlabDrain H200SK-13 Ductile Iron Edge

Constant depth channel - 39.37" (1 m)	63456 285.00	66.4	18
Closing end cap	93460 62.00	1.0	-
Debris strainer for 4" bottom knockout	93488 63.00	0.2	-
SK2 Iron longitudinal grate - 19.69" (0.5 m) (Load Class E)	72263 211.00	26.2	64
SK2 Iron slotted grate - 19.69" (0.5 m) (Load Class F)	02449 183.00	32.0	80
SK2 Iron 4-bolt grate* - 19.69" (0.5 m) (Load Class F)	99591 221.00	26.5	80

H300SK-13



SlabDrain H300SK-13 Ductile Iron Edge

Constant depth channel - 39.37" (1 m)	63466 312.00	82.2	12
Closing end cap	93470 70.00	1.4	-
SK3 Iron longitudinal - 19.69" (0.5 m) (Load Class E)	96833 386.00	62.5	36
SK3 Iron slotted grate - 19.69" (0.5 m) (Load Class F)	02445 276.00	55.0	48
SK3 Iron 4-bolt grate* - 19.69" (0.5 m) (Load Class F)	99592 400.00	55.3	36

SK Grate Accessories

Grate removal tool	01318 36.00	0.3	-
PowerLok® safety clip (red)	10443 4.20	0.1	-
Tamper resistant bolt for 4-bolt grate	138127 16.00	0.1	-
Tamper resistant bolt driver	138128 150.00	0.1	-
Replacement bolt for 4-bolt grate	95526 4.20	0.1	-

Membrane No-Hub Drain



Membrane No-Hub Drain - Stainless Steel	01043 464.00	8.9	40
---	---------------------	-----	----

H100SK-10 channel with ductile iron edge rail and specified grating

\$/ft

LOAD CLASS F - EN 1433 - 202,328 LBS - 6,962 PSI	
SK1 PowerLok ductile iron longitudinal grate	143.60
SK1 PowerLok ductile iron slotted grate	126.52
SK1 4-bolt ductile iron slotted grate	143.60

H200SK-13 channel with ductile iron edge rail and specified grating

\$/ft










LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
SK2 PowerLok ductile iron longitudinal grate	215.55
LOAD CLASS F - EN 1433 - 202,328 LBS - 3,481 PSI	
SK2 PowerLok ductile iron slotted grate	198.48
SK2 4-bolt ductile iron slotted grate	221.65

H300SK-13 channel with ductile iron edge rail and specified grating




\$/ft

LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI	
SK3 PowerLok ductile iron longitudinal grate	330.49
LOAD CLASS F - EN 1433 - 202,328 LBS - 3,481 PSI	
SK3 PowerLok ductile iron slotted grate	263.41
SK3 4-bolt ductile iron slotted grate	339.02


DrainLok K100/KS100 Grates

		Length in (mm)	Part No.	Price \$	Weight lbs	Pallet Qty
LOAD CLASS A - EN 1433 - 3,372 LBS - 70 PSI						
	Type 410D Galvanized perforated	39.37 (1000)	12666	72.00	6.3	200
	Type 412D Galvanized perforated	19.69 (500)	12667	53.00	3.2	400
	Type 451D Stainless perforated	39.37 (1000)	12664	244.00	6.3	200
	Type 453D Stainless perforated	19.69 (500)	12665	162.00	3.2	400
	Type 420D Galvanized slotted	39.37 (1000)	12610	47.00	5.9	200
	Type 421D Galvanized slotted	19.69 (500)	12611	31.00	3.0	400
	Type 450D Stainless slotted	39.37 (1000)	12640	215.00	5.9	200
	Type 452D Stainless slotted	19.69 (500)	12641	145.00	3.0	400
	Type 494D Black plastic longitudinal	19.69 (500)	99575	54.00	1.8	400
	Type 495D Gray plastic longitudinal	19.69 (500)	99576	54.00	1.8	400
	Type 496D Tan plastic longitudinal	19.69 (500)	99577	54.00	1.8	400
LOAD CLASS B - EN 1433 - 28,101 LBS - 580 PSI						
	Type 447D Stainless longitudinal	39.37 (1000)	142215	844.00	8.0	200
	Type 448D Stainless longitudinal	19.69 (500)	142216	599.00	4.0	-
	Type 438D Galvanized longitudinal	39.37 (1000)	132555	123.00	8.0	50
	Type 437D Galvanized longitudinal	19.69 (500)	132550	69.00	4.0	25
LOAD CLASS C - EN 1433 - 56,202 LBS - 1,160 PSI						
	Type 492D Black composite microgrip slotted	19.69 (500)	132720	69.00	2.2	50
	Type 425D Galvanized slotted	39.37 (1000)	12614	112.00	10.0	200
	Type 426D Galvanized slotted	19.69 (500)	12615	69.00	5.0	400
	Type 455D Stainless slotted	39.37 (1000)	12644	459.00	10.0	200
	Type 457D Stainless slotted	19.69 (500)	12645	233.00	5.0	400
	Type 411D Galvanized perforated	39.37 (1000)	12656	159.00	10.0	200
	Type 413D Galvanized perforated	19.69 (500)	12657	86.00	5.0	400
	Type 465D Stainless perforated	39.37 (1000)	12654	459.00	10.0	200
	Type 466D Stainless perforated	19.69 (500)	12655	235.00	5.0	400
	Type 405D Galvanized mesh	39.37 (1000)	132880	152.00	9.1	100
	Type 406D Galvanized mesh	19.69 (500)	132881	119.00	4.6	100
	Type 430D Stainless mesh	39.37 (1000)	132882	644.00	9.2	100
	Type 431D Stainless mesh	19.69 (500)	132883	463.00	4.6	100
	Type 460D Ductile iron slotted	19.69 (500)	12670	64.00	8.0	200
	Type 476D Ductile iron longitudinal	19.69 (500)	142171	96.00	8.4	200
	Type 480D Ductile iron wave	19.69 (500)	99578	105.00	8.0	160




QuickLok® K100/KS100 Grates

LOAD CLASS C - EN 1433 - 56,202 LBS - 1,160 PSI						
	Type 492Q Black plastic slotted	19.69 (500)	31710	65.00	3.5	204
	Type 479Q Ductile iron mosaic	19.69 (500)	97116	84.00	9.6	200
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,785 PSI						
	Type 435Q Galvanized slotted	39.37 (1000)	31550	167.00	13.7	200
	Type 436Q Galvanized slotted	19.69 (500)	31551	107.00	6.8	400
	Type 490Q Stainless slotted	39.37 (1000)	31650	532.00	13.7	200
	Type 493Q Stainless slotted	19.69 (500)	31651	320.00	6.8	400
	Type 478Q Ductile iron longitudinal	19.69 (500)	03314	89.00	13.3	200
	Type 461Q Ductile iron slotted	19.69 (500)	96752	74.00	10.5	200

DrainLok K200/KS200 Grates



		Length in (mm)	Part No.	Price \$	Weight lbs	Pallet Qty
LOAD CLASS B - EN 1433 - 28,101 LBS - 387 PSI						
	Type 647D Stainless longitudinal	39.37 (1000)	142219	1,630.00	18.0	100
	Type 648D Stainless longitudinal	19.69 (500)	142220	1,095.00	9.0	100

LOAD CLASS C - EN 1433 - 56,202 LBS - 774 PSI



	Type 660D Ductile iron slotted	19.69 (500)	142177	166.00	19.0	80
	Type 676D Ductile iron longitudinal	19.69 (500)	142173	171.00	19.0	80
	Type 680D Ductile iron wave	19.69 (500)	99579	208.00	27.0	80

QuickLok® K200/KS200 Grates






LOAD CLASS C - EN 1433 - 56,202 LBS - 774 PSI

	Type 611Q Galvanized perforated	39.37 (1000)	98962	400.00	28.0	80
	Type 613Q Galvanized perforated	19.69 (500)	98961	317.00	14.0	80
	Type 665Q Stainless perforated	39.37 (1000)	98960	1,158.00	28.0	80
	Type 666Q Stainless perforated	19.69 (500)	98959	768.00	14.0	80
	Type 605Q Galvanized mesh	39.37 (1000)	10352	551.00	30.0	100
	Type 606Q Galvanized mesh	19.69 (500)	10353	319.00	15.0	100
	Type 630Q Stainless mesh	39.37 (1000)	16032	1,723.00	28.0	100
	Type 631Q Stainless mesh	19.69 (500)	16033	1,110.00	14.0	100

LOAD CLASS E - EN 1433 - 134,885 LBS - 1,856 PSI



	Type 678Q Ductile iron longitudinal	19.69 (500)	138129	256.00	26.0	80
	Type 661Q Ductile iron slotted	19.69 (500)	10351	248.00	37.0	48

DrainLok K300/KS300 Grates



		Length in (mm)	Part No.	Price \$	Weight lbs	Pallet Qty
LOAD CLASS A - EN 1433 - 3,372 LBS - 58 PSI						
	Type 847D Stainless longitudinal	39.37 (1000)	142223	2,713.00	29.0	100
	Type 848D Stainless longitudinal	19.69 (500)	142224	1,807.00	14.0	100
LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI						
	Type 860D Ductile iron slotted	19.69 (500)	13870	248.00	38.0	50
	Type 876D Ductile iron longitudinal	19.69 (500)	99588	276.00	35.0	48
	Type 880D Ductile iron wave	19.69 (500)	99581	312.00	37.0	36
	Type 805D Galvanized mesh	19.69 (500)	133675	506.00	26.2	50
	Type 830D Stainless mesh	19.69 (500)	133678	1,757.00	29.5	50

QuickLok® K300/KS300 grates









LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI

	Type 811Q Galvanized perforated	39.37 (1000)	98967	912.00	68.0	80
	Type 813Q Galvanized perforated	19.69 (500)	98966	609.00	34.0	80
	Type 865Q Stainless perforated	39.37 (1000)	98968	2,148.00	68.0	80
	Type 866Q Stainless perforated	19.69 (500)	98969	1,516.00	35.0	80


QuickLok® K300/KS300 Grates (cont.)

		Length in (mm)	Part No.	Price \$	Weight lbs	Pallet Qty
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI						
	Type 878Q Ductile iron longitudinal	19.69 (500)	138130	373.00	52.0	36
	Type 861Q Ductile iron slotted	19.69 (500)	10431	373.00	58.0	36

QuickLok® K100/KS100 Grates

		Length in (mm)	Part No.	Price \$	Weight lbs	Pallet Qty
LOAD CLASS A - EN 1433 - 3,372 LBS - 116 PSI						
	Type 420Q Galvanized slotted	39.37 (1000)	31530	41.00	5.5	200
	Type 421Q Galvanized slotted	19.69 (500)	31531	29.00	2.8	400
	Type 450Q Stainless slotted	39.37 (1000)	31630	206.00	5.9	200
	Type 452Q Stainless slotted	19.69 (500)	31631	139.00	2.8	400
	Type 430Q Stainless mesh	19.69 (500)	141744	644.00	8.0	400
	Type 451Q Stainless perforated	39.37 (1000)	98883	235.00	6.3	200
	Type 410Q Galvanized perforated ¹	39.37 (1000)	35908	69.00	6.3	200
	Type 412Q Galvanized perforated ¹	19.69 (500)	98879	51.00	3.2	400
	Type 494Q Black plastic longitudinal	19.69 (500)	97393	38.00	1.8	416
	Type 495Q Gray plastic longitudinal		97385	38.00		
LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI						
	Type 425Q Galvanized slotted ¹	39.37 (1000)	31540	106.00	8.8	200
	Type 426Q Galvanized slotted ¹	19.69 (500)	31541	65.00	4.4	400
	Type 455Q Stainless slotted ¹	39.37 (1000)	31640	443.00	8.8	200
	Type 457Q Stainless slotted ¹	19.69 (500)	31641	226.00	4.4	400
	Type 411Q Galvanized perforated ¹	39.37 (1000)	98905	152.00	11.3	200
	Type 413Q Galvanized perforated ¹	19.69 (500)	98918	81.00	5.7	400


QuickLok® K300/KS300 Grates

LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI						
	Type 847Q Stainless longitudinal	39.37 (1000)	98975	2,503.00	28.6	100
	Type 848Q Stainless longitudinal	19.69 (500)	98995	1,668.00	14.5	100
	Type 830Q Stainless mesh	19.69 (500)	16006	1,703.00	29.5	100

POLYMER CONCRETE

Shortened Channel

Less than a standard channel length



Description

Part
No.

Price
\$

CUT & MALE/FEMALE DETAILS REMODELED

K100/KS100/K50/H100K	06627	68.50
K200/KS200	06809	117.00
K300/KS300	06810	163.00
S100K	92782	120.00
S200K	06811	169.00
S300K	98335	215.00
SlabDrain 200SK/200K	06812	179.00
SlabDrain 300SK/300K	06813	222.00
Spill Curbs - Straight or angled cut	06505	196.50

Bottom/Side Outlet



4" core
bottom/side
drill out

CORE DRILL - POLYMER CONCRETE ONLY

Standard 4" and 6" Sch. 40 pipes	92677	56.00
Non-standard pipe sizes - up to 10"	92688	163.00