




K100 Channel -
39.37" (1 m)




K100 Channel -
19.69" (0.5 m)



K1-901 In-line Catch Basin












K1-621 Style Catch Basin






KlassikDrain K100/KS100 Parts Table

	K100 Galvanized Edge				KS100 Stainless Edge			
	Part No.	Price \$	Weight lbs	Pallet Qty	Part No.	Price \$	Weight lbs	
K1-00 Constant depth channel - 39.37" (1 m) ¹	74041	156.00	28.1	40	74441	299.00	28.1	
K1-1 Sloped channel - 39.37" (1 m)	74001	156.00	28.1	40	74401	299.00	28.1	
K1-2 Sloped channel - 39.37" (1 m)	74002	156.00	28.9	40	74402	299.00	28.9	
K1-3 Sloped channel - 39.37" (1 m)	74003	156.00	29.7	40	74403	299.00	29.7	
K1-4 Sloped channel - 39.37" (1 m)	74004	156.00	30.5	40	74404	299.00	30.5	
K1-5 Sloped channel - 39.37" (1 m) ¹	74005	156.00	31.3	40	74405	299.00	31.3	
K1-6 Sloped channel - 39.37" (1 m)	74006	156.00	32.1	40	74406	299.00	32.1	
K1-7 Sloped channel - 39.37" (1 m)	74007	156.00	32.9	40	74407	299.00	32.9	
K1-8 Sloped channel - 39.37" (1 m)	74008	156.00	33.7	40	74408	299.00	33.7	
K1-9 Sloped channel - 39.37" (1 m)	74009	156.00	34.5	40	74409	299.00	34.5	
K1-10 Sloped channel - 39.37" (1 m) ¹	74010	156.00	35.3	40	74410	299.00	35.3	
K1-010 Constant depth channel - 39.37" (1 m) ¹	74043	156.00	35.3	40	74443	299.00	35.3	
K1-0103 Constant depth channel - 19.69" (0.5 m) ¹	74044	106.00	17.0	80	74444	206.00	17.0	
K1-11 Sloped channel - 39.37" (1 m)	74011	156.00	36.1	32	74411	299.00	36.1	
K1-12 Sloped channel - 39.37" (1 m)	74012	156.00	36.9	32	74412	299.00	36.9	
K1-13 Sloped channel - 39.37" (1 m)	74013	156.00	37.7	32	74413	299.00	37.7	
K1-14 Sloped channel - 39.37" (1 m)	74014	156.00	38.5	32	74414	299.00	38.5	
K1-15 Sloped channel - 39.37" (1 m) ¹	74015	156.00	39.3	32	74415	299.00	39.3	
K1-16 Sloped channel - 39.37" (1 m)	74016	156.00	40.1	32	74416	299.00	40.1	
K1-17 Sloped channel - 39.37" (1 m)	74017	156.00	40.9	32	74417	299.00	40.9	
K1-18 Sloped channel - 39.37" (1 m)	74018	156.00	41.7	32	74418	299.00	41.7	
K1-19 Sloped channel - 39.37" (1 m)	74019	156.00	42.5	32	74419	299.00	42.5	
K1-20 Sloped channel - 39.37" (1 m) ¹	74020	156.00	43.4	32	74420	299.00	43.4	
K1-020 Constant depth channel - 39.37" (1 m) ¹	74045	156.00	43.4	32	74445	299.00	43.4	
K1-0203 Constant depth channel - 19.69" (0.5 m) ¹	74046	106.00	20.5	64	74446	206.00	20.5	
K1-21 Sloped channel - 39.37" (1 m)	74021	156.00	44.2	32	74421	299.00	44.2	
K1-22 Sloped channel - 39.37" (1 m)	74022	156.00	45.0	32	74422	299.00	45.0	
K1-23 Sloped channel - 39.37" (1 m)	74023	156.00	45.8	32	74423	299.00	45.8	
K1-24 Sloped channel - 39.37" (1 m)	74024	156.00	46.6	32	74424	299.00	46.6	
K1-25 Sloped channel - 39.37" (1 m) ¹	74025	156.00	47.4	32	74425	299.00	47.4	
K1-26 Sloped channel - 39.37" (1 m)	74026	156.00	48.2	32	74426	299.00	48.2	
K1-27 Sloped channel - 39.37" (1 m)	74027	156.00	49.0	32	74427	299.00	49.0	
K1-28 Sloped channel - 39.37" (1 m)	74028	156.00	49.8	32	74428	299.00	49.8	
K1-29 Sloped channel - 39.37" (1 m)	74029	156.00	50.6	32	74429	299.00	50.6	
K1-30 Sloped channel - 39.37" (1 m) ¹	74030	156.00	51.4	32	74430	299.00	51.4	
K1-030 Constant depth channel - 39.37" (1 m) ¹	74047	156.00	51.4	32	74447	299.00	51.4	
K1-0303 Constant depth channel - 19.69" (0.5 m) ¹	74048	106.00	24.0	64	74448	206.00	24.0	
K1-31 Sloped channel - 39.37" (1 m)	74031	156.00	52.2	32	74431	299.00	52.2	
K1-32 Sloped channel - 39.37" (1 m)	74032	156.00	53.0	32	74432	299.00	53.0	
K1-33 Sloped channel - 39.37" (1 m)	74033	156.00	53.8	32	74433	299.00	53.8	
K1-34 Sloped channel - 39.37" (1 m)	74034	156.00	54.6	32	74434	299.00	54.6	
K1-35 Sloped channel - 39.37" (1 m) ¹	74035	156.00	55.4	32	74435	299.00	55.4	
K1-36 Sloped channel - 39.37" (1 m)	74036	156.00	56.2	32	74436	299.00	56.2	
K1-37 Sloped channel - 39.37" (1 m)	74037	156.00	57.0	32	74437	299.00	57.0	
K1-38 Sloped channel - 39.37" (1 m)	74038	156.00	57.9	32	74438	299.00	57.9	
K1-39 Sloped channel - 39.37" (1 m)	74039	156.00	58.7	32	74439	299.00	58.7	
K1-40 Sloped channel - 39.37" (1 m) ¹	74040	156.00	59.5	32	74440	299.00	59.5	
K1-040 Constant depth channel - 39.37" (1 m) ¹	74049	156.00	59.5	32	74449	299.00	59.5	
K1-0403 Constant depth channel - 19.69" (0.5 m) ¹	74050	106.00	27.5	64	74450	206.00	27.5	
K1-901G/901S In-line catch basin - 19.69" (0.5 m) ^{2,4}	94608	485.00	52.6	6	94609	543.00	52.6	
K1-906G/906S In-line catch basin - 19.69" (0.5 m) ^{4,5}	97934	505.00	113.4	6	97935	542.00	113.4	
K1-621G/621S Catch basin - 19.69" (0.5 m) ^{2,4}	94617	762.00	55.8	6	94618	796.00	55.8	
K1-622G/622S Catch basin - 19.69" (0.5 m) ^{4,5}	97915	841.00	137.5	6	97916	962.00	137.5	
K1-631G/631S Catch basin - 19.69" (0.5 m) ^{3,4}	94631	948.00	65.8	6	94632	963.00	65.8	
K1-632G/632S Catch basin - 19.69" (0.5 m) ^{4,6}	97925	1,057.00	183.0	6	97926	1,177.00	183.0	
Series 611 catch basin riser polymer (optional)	91110	239.00	45.0	24	91110	239.00	45.0	
Series 600 catch basin riser plastic (optional)	99902	208.00	10.0	24	99902	208.00	10.0	
Foul air trap - fits Type 900 & 600 basins	90854	87.00	1.2	-	90854	87.00	1.2	
K1-304-6 6" Inlet end cap	96839	81.00	5.2	-	96844	86.00	5.2	
K1-308-6 6" Outlet end cap	96840	81.00	5.0	-	96845	86.00	5.0	
K1-404-6 6" Inlet end cap	96834	81.00	6.0	-	96846	86.00	6.0	
K1-408-6 6" Outlet end cap	96836	81.00	5.8	-	96847	86.00	5.8	
K1 Universal inlet/outlet/end cap	96822	21.00	0.4	-	96822	21.00	0.4	
Debris strainer for 4" bottom knockout	93488	63.00	0.2	-	93488	63.00	0.2	
Outlet adapter - 4" oval to 6" round	95140	26.00	1.1	-	95140	26.00	1.1	
Installation device - 4" system	97477	36.00	2.8	-	97477	36.00	2.8	
Grate removal tool	01318	36.00	0.3	-	01318	36.00	0.3	
QuickLok® locking bar - 4" system	02899	11.00	0.1	-	02899	11.00	0.1	
QuickLok® locking bar - Series 900 catch basin	98717	28.00	0.1	-	98717	28.00	0.1	
QuickLok® locking bar - Series 600 catch basin	94564	70.00	0.1	-	94564	70.00	0.1	

DrainLok K100/KS100 Grates

		Length in (mm)	Part No.	Price \$	Weight lbs	Pallet Qty
LOAD CLASS A - EN 1433 - 3,372 LBS - 70 PSI						
	Type 410D Galvanized perforated	39.37 (1000)	12666	72.00	6.3	200
	Type 412D Galvanized perforated	19.69 (500)	12667	53.00	3.2	400
	Type 451D Stainless perforated	39.37 (1000)	12664	244.00	6.3	200
	Type 453D Stainless perforated	19.69 (500)	12665	162.00	3.2	400
	Type 420D Galvanized slotted	39.37 (1000)	12610	47.00	5.9	200
	Type 421D Galvanized slotted	19.69 (500)	12611	31.00	3.0	400
	Type 450D Stainless slotted	39.37 (1000)	12640	215.00	5.9	200
	Type 452D Stainless slotted	19.69 (500)	12641	145.00	3.0	400
	Type 494D Black plastic longitudinal	19.69 (500)	99575	54.00	1.8	400
	Type 495D Gray plastic longitudinal	19.69 (500)	99576	54.00	1.8	400
	Type 496D Tan plastic longitudinal	19.69 (500)	99577	54.00	1.8	400
LOAD CLASS B - EN 1433 - 28,101 LBS - 580 PSI						
	Type 447D Stainless longitudinal	39.37 (1000)	142215	844.00	8.0	200
	Type 448D Stainless longitudinal	19.69 (500)	142216	599.00	4.0	-
	Type 438D Galvanized longitudinal	39.37 (1000)	132555	123.00	8.0	50
	Type 437D Galvanized longitudinal	19.69 (500)	132550	69.00	4.0	25
LOAD CLASS C - EN 1433 - 56,202 LBS - 1,160 PSI						
	Type 492D Black composite microgrip slotted	19.69 (500)	132720	69.00	2.2	50
	Type 425D Galvanized slotted	39.37 (1000)	12614	112.00	10.0	200
	Type 426D Galvanized slotted	19.69 (500)	12615	69.00	5.0	400
	Type 455D Stainless slotted	39.37 (1000)	12644	459.00	10.0	200
	Type 457D Stainless slotted	19.69 (500)	12645	233.00	5.0	400
	Type 411D Galvanized perforated	39.37 (1000)	12656	159.00	10.0	200
	Type 413D Galvanized perforated	19.69 (500)	12657	86.00	5.0	400
	Type 465D Stainless perforated	39.37 (1000)	12654	459.00	10.0	200
	Type 466D Stainless perforated	19.69 (500)	12655	235.00	5.0	400
	Type 405D Galvanized mesh	39.37 (1000)	132880	152.00	9.1	100
	Type 406D Galvanized mesh	19.69 (500)	132881	119.00	4.6	100
	Type 430D Stainless mesh	39.37 (1000)	132882	644.00	9.2	100
	Type 431D Stainless mesh	19.69 (500)	132883	463.00	4.6	100
	Type 460D Ductile iron slotted	19.69 (500)	12670	64.00	8.0	200
	Type 476D Ductile iron longitudinal	19.69 (500)	142171	96.00	8.4	200
	Type 480D Ductile iron wave	19.69 (500)	99578	105.00	8.0	160

QuickLok® K100/KS100 Grates

LOAD CLASS C - EN 1433 - 56,202 LBS - 1,160 PSI						
	Type 492Q Black plastic slotted	19.69 (500)	31710	65.00	3.5	204
	Type 479Q Ductile iron mosaic	19.69 (500)	97116	84.00	9.6	200
LOAD CLASS E - EN 1433 - 134,885 LBS - 2,785 PSI						
	Type 435Q Galvanized slotted	39.37 (1000)	31550	167.00	13.7	200
	Type 436Q Galvanized slotted	19.69 (500)	31551	107.00	6.8	400
	Type 490Q Stainless slotted	39.37 (1000)	31650	532.00	13.7	200
	Type 493Q Stainless slotted	19.69 (500)	31651	320.00	6.8	400
	Type 478Q Ductile iron longitudinal	19.69 (500)	03314	89.00	13.3	200
	Type 461Q Ductile iron slotted	19.69 (500)	96752	74.00	10.5	200

LOAD CLASS C - EN 1433 - 56,202 LBS - 1,160 PSI



Brickslot 100 - for K100/KS100

	Part No.	Price \$	Weight lbs	Pallet Qty
Type 441 Galvanized steel Brickslot - 39.37" (1 m)	138040	219.00	17.6	84
Type 442 Galvanized steel Brickslot - 19.69" (0.5 m)	138041	161.00	9.0	128
Type 482 Galvanized steel Brickslot access unit - 19.69" (0.5 m)	138042	327.00	16.4	50
Type 443 Stainless steel Brickslot - 39.37" (1 m)	138045	437.00	17.6	150
Type 444 Stainless steel Brickslot - 19.69" (0.5 m)	138046	264.00	9.0	200
Type 484 Stainless steel Brickslot access unit - 19.69" (0.5 m)	138047	616.00	16.4	50



Heel-resistant Brickslot 100 - for K100/KS100

Type 470 Galvanized steel Brickslot - 39.37" (1 m)	138050	248.00	18.0	84
Type 471 Galvanized steel Brickslot - 19.69" (0.5 m)	138051	168.00	9.2	128
Type 483 Galvanized steel Brickslot access unit - 19.69" (0.5 m)	138052	342.00	11.0	50
Type 472 Stainless steel Brickslot - 39.37" (1 m)	138055	449.00	18.0	150
Type 473 Stainless steel Brickslot - 19.69" (0.5 m)	138056	264.00	9.2	200
Type 485 Stainless steel Brickslot access unit - 19.69" (0.5 m)	138057	616.00	11.0	50

Brickslot Accessories

Grate removal tool for access unit	01318	36.00	0.3	-
------------------------------------	-------	--------------	-----	---

QuickLok® K100/KS100 Grates

Length
in (mm)


Part
No.

Price
\$

Weight
lbs

Pallet
Qty

LOAD CLASS A - EN 1433 - 3,372 LBS - 116 PSI



Type 420Q Galvanized slotted
Type 421Q Galvanized slotted


39.37 (1000)
19.69 (500)

31530
31531

41.00
29.00

5.5
2.8

200
400



Type 450Q Stainless slotted
Type 452Q Stainless slotted


39.37 (1000)
19.69 (500)

31630
31631

206.00
139.00

5.9
2.8

200
400



Type 430Q Stainless mesh


19.69 (500)

141744

644.00

8.0

400



Type 451Q Stainless perforated


39.37 (1000)

98883

235.00

6.3

200



Type 410Q Galvanized perforated¹
Type 412Q Galvanized perforated¹

39.37 (1000)
19.69 (500)

35908
98879

69.00
51.00

6.3
3.2

200
400



Type 494Q Black plastic longitudinal
Type 495Q Gray plastic longitudinal

19.69 (500)


97393
97385

38.00
38.00

1.8

416

LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI



Type 425Q Galvanized slotted¹
Type 426Q Galvanized slotted¹


39.37 (1000)
19.69 (500)

31540
31541

106.00
65.00

8.8
4.4

200
400



Type 455Q Stainless slotted¹
Type 457Q Stainless slotted¹


39.37 (1000)
19.69 (500)

31640
31641

443.00
226.00

8.8
4.4

200
400



Type 411Q Galvanized perforated¹
Type 413Q Galvanized perforated¹

39.37 (1000)
19.69 (500)

98905
98918

152.00
81.00

11.3
5.7

200
400

K100 channel with galvanized edge rail and specified DrainLok grating \$/ft

LOAD CLASS A - EN 1433 - 3,372 LBS - 116 PSI	
Type 410D Galvanized perforated grates	69.51
Type 420D Galvanized slotted	61.89
Type 494D Black Plastic longitudinal	80.49
Type 495D Gray Plastic longitudinal	80.49
Type 496D Tan Plastic longitudinal	80.49
LOAD CLASS B - EN 1433 - 28,101 LBS - 967 PSI	
Type 438D Galvanized longitudinal	85.06
LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 492D Black Plastic slotted	89.63
Type 425D Galvanized slotted	81.71
Type 411D Galvanized perforated	96.04
Type 405D Galvanized mesh	93.90
Type 460D Ductile iron slotted	86.59
Type 476D Ductile iron longitudinal	106.10
Type 480D Ductile iron wave	111.59

K100 channel with galvanized edge rail, locking bars and specified QuickLok® grating \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 492Q Composite slotted	93.90
Type 479Q Ductile iron mosaic	105.49
LOAD CLASS E - EN 1433 - 134,885 LBS - 4,641 PSI	
Type 461Q Ductile iron slotted	99.39
Type 435Q Galvanized slotted	105.18
Type 478Q Ductile iron longitudinal	108.54

K100 channel with galvanized edge rail and specified Brickslot top \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 441 Brickslot 100	114.33
Type 470 Heel Resistant Brickslot 100	123.17

KS100 channel with stainless edge rail and specified Brickslot top \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 443 Brickslot 100	224.39
Type 472 Heel Resistant Brickslot 100	228.05

KS100 channel with stainless edge rail and specified DrainLok grating \$/ft

LOAD CLASS A - EN 1433 - 3,372 LBS - 116 PSI	
Type 451D Stainless perforated	165.55
Type 450D Stainless slotted	156.71
Type 494D Black Plastic longitudinal	124.09
Type 495D Gray Plastic longitudinal	124.09
Type 496D Tan Plastic longitudinal	124.09
LOAD CLASS B - EN 1433 - 28,101 LBS - 967 PSI	
Type 447D Stainless longitudinal	348.48
Type 492D Black Plastic slotted	133.23
LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 455D Stainless slotted	231.10
Type 465D Stainless perforated	231.10
Type 430D Stainless mesh	287.50
Type 460D Ductile iron slotted	130.18
Type 476D Ductile iron longitudinal	149.70
Type 480D Ductile iron wave	155.18


KS100 channel with stainless edge rail, locking bars and specified QuickLok® grating \$/ft

LOAD CLASS C - EN 1433 - 56,202 LBS - 1,934 PSI	
Type 492Q Composite slotted	137.50
Type 479Q Ductile iron mosaic	149.09
LOAD CLASS E - EN 1433 - 134,885 LBS - 4,641 PSI	
Type 461Q Ductile iron slotted	142.99
Type 490Q Stainless slotted	260.06
Type 478Q Ductile iron longitudinal	152.13

POLYMER CONCRETE

Shortened Channel

Less than a standard channel length



Description

Part
No.

Price
\$

CUT & MALE/FEMALE DETAILS REMODELED

K100/KS100/K50/H100K	06627	68.50
K200/KS200	06809	117.00
K300/KS300	06810	163.00
S100K	92782	120.00
S200K	06811	169.00
S300K	98335	215.00
SlabDrain 200SK/200K	06812	179.00
SlabDrain 300SK/300K	06813	222.00
Spill Curbs - Straight or angled cut	06505	196.50

Bottom/Side Outlet




4" core
bottom/side
drill out

CORE DRILL - POLYMER CONCRETE ONLY

Standard 4" and 6" Sch. 40 pipes	92677	56.00
Non-standard pipe sizes - up to 10"	92688	163.00

Miter

Dotted line shows mitered channel



Grates are
cut to length
NOT mitered.


CUT & BONDED - POLYMER CONCRETE

K100/KS100/K50/KS50/H100K/ H100KS/NW100	06630	186.00
--	-------	---------------

Shipping: parts are shipped assembled with grates
in place

Direction Change

Polymer concrete channels



MALE/FEMALE DETAILS REMODELED - POLYMER CONCRETE

K100/KS100/K50/H100K	06628	68.50
S100K	92836	80.00
S200K/S300K	98356	96.00


Note: parts are only shipped un-assembled.

SHORTENED CHANNEL & MALE/FEMALE DETAILS REMODELED

K100/S100K	06629	135.50
K200/K300/SK200/SK300	06845	160.00

POLYMER CONCRETE

Full Length Tee



Description

Part
No.


Price
\$

CUT & MALE/FEMALE DETAILS REMODELED

K100/KS100/NW100	06631	332.00
K200/KS200	06846	351.00
K300/KS300	06847	387.00
S100K	92714	387.00
S200K	06833	413.00
S300K	98318	437.00

Note: parts are shipped un-assembled but have male/female to aid alignment on site.

Shortened Tee



CUT & BONDED OR MALE/FEMALE DETAILS ADDED

K100/KS100/NW100	06632	344.00
K200/KS200/S200K/S100K	06838	370.00
K300/KS300/S300K	06839	400.00
S100K/H100K	92776	400.00

Note: parts are only shipped assembled where one channel is less than 19.69" (500 mm). Un-assembled channels have male/female to aid alignment on site.

KlassikDrain K100 Spare Parts	Part No.	Price \$
K1 901G CATCH BASIN	94608	485.00
Type 900 Trash bucket	01498	78.00
K1 900 Galvanized catch basin blank kit	138098	56.00
K1 901G Top	99900	173.00
Type 900 Plastic catch basin base	99906	193.00
QuickLok® locking bar (removable)	98717	28.00
K1 901S CATCH BASIN	94609	543.00
Type 900 Trash bucket	01498	78.00
KS1 900 Stainless catch basin blank kit	138099	49.00
K1 901S Top	99899	229.00
Type 900 Plastic catch basin base	99906	193.00
QuickLok® locking bar (removable)	98717	28.00
K1 906G CATCH BASIN	97934	505.00
Type 900 Trash bucket	01498	78.00
K1 900 Galvanized catch basin blank kit	138098	56.00
K1 901G Top	99900	173.00
Type 905 Polymer concrete catch basin base	00402	181.00
QuickLok® locking bar (removable)	98717	28.00
K1 906S CATCH BASIN	97935	542.00
Type 900 Trash bucket	01498	78.00
KS1 900 Stainless catch basin blank kit	138099	49.00
K1 901S Top	99899	229.00
Type 905 Polymer concrete catch basin base	00402	181.00
QuickLok® locking bar (removable)	98717	28.00
K1 621G CATCH BASIN	94617	762.00
K1-621G Top	94668	381.00
Series 600 Plastic trash bucket short	98653	132.00
Type 600 Plastic catch basin base	99903	208.00
QuickLok® locking bar (removable)	94564	70.00
K1 621S CATCH BASIN	94618	796.00
K1-621S Top	94669	485.00
Series 600 Plastic trash bucket short	98653	132.00
Type 600 Plastic catch basin base	99903	208.00
QuickLok® locking bar (removable)	94564	70.00

KlassikDrain K100 Spare Parts	Part No.	Price \$
K1 622G CATCH BASIN	97915	841.00
K1-622G Top	94668	381.00
Series 600 Plastic trash bucket short	98653	132.00
Type 612 Polymer concrete catch basin base	01614	258.00
QuickLok® locking bar (removable)	94564	70.00
K1 622S CATCH BASIN	97916	962.00
K1-622S Top	94669	485.00
Series 600 Plastic trash bucket short	98653	132.00
Type 612 Polymer concrete catch basin base	01614	258.00
QuickLok® locking bar (removable)	94564	70.00
K1 631G CATCH BASIN	94631	948.00
K1-621G Top	94668	381.00
Series 600 Plastic trash bucket deep	98665	166.00
Series 600 Optional riser	99902	208.00
Type 600 Plastic catch basin base	99903	208.00
QuickLok® locking bar (removable)	94564	70.00
K1 631S CATCH BASIN	94632	963.00
K1-621S Top	94669	485.00
Series 600 Plastic trash bucket deep	98665	166.00
Series 600 Optional riser	99902	208.00
Type 600 Plastic catch basin base	99903	208.00
QuickLok® locking bar (removable)	94564	70.00
K1 632G CATCH BASIN	97925	1,057.00
K1-621G Top	94668	381.00
Series 600 Plastic trash bucket deep	98665	166.00
Series 611 Optional polymer riser	91110	239.00
Type 612 Polymer concrete catch basin base	01614	258.00
QuickLok® locking bar (removable)	94564	70.00
K1 632S CATCH BASIN	97926	1,177.00
K1-621S Top	94669	485.00
Series 600 Plastic trash bucket deep	98665	166.00
Series 611 Optional polymer riser	91110	239.00
Type 612 Polymer concrete catch basin base	01614	258.00
QuickLok® locking bar (removable)	94564	70.00

BrickSlot Spare Parts**Part
No. Price
\$****BRICKSLOT 100**

Type 482 Brickslot galvanized access unit kit	138042	327.00
Type 482/483 Brickslot galvanized access frame	138043	151.00
Type 482 Brickslot galvanized access insert	138044	176.00
Type 484 Brickslot stainless access unit kit	138047	616.00
Type 484/485 Brickslot stainless access frame	138058	298.00
Type 484 Brickslot stainless access insert	138049	323.00

HEEL-RESISTANT BRICKSLOT 100

Type 483 Brickslot galvanized access unit kit	138052	342.00
Type 482/483 Brickslot galvanized access frame	138043	151.00
Type 483 Brickslot galvanized access insert	138054	193.00
Type 485 Brickslot stainless access unit kit	138057	616.00
Type 484/485 Brickslot stainless access frame	138058	298.00
Type 485 Brickslot stainless access insert	138059	323.00