



K300 Channel -  
39.37" (1 m)



K300 Channel -  
19.69" (0.5 m)



K3-903 In-line Catch Basin








K3 Universal Inlet/Outlet/End Cap  
(6"-8"-10" Sch. 40 connections)



**KlassikDrain K300/KS300  
Parts Table**



	K300 Galvanized Edge				KS300 Stainless Edge		
	Part No.	Price \$	Weight lbs	Pallet Qty	Part No.	Price \$	Weight lbs
K3-00 Constant depth channel - 39.37" (1 m) <sup>1</sup>	76041	427.00	132.6	9	76441	633.00	132.6
K3-1 Sloped channel - 39.37" (1 m)	76001	427.00	132.6	9	76401	633.00	132.6
K3-2 Sloped channel - 39.37" (1 m)	76002	427.00	133.8	9	76402	633.00	133.8
K3-3 Sloped channel - 39.37" (1 m)	76003	427.00	135.0	9	76403	633.00	135.0
K3-4 Sloped channel - 39.37" (1 m)	76004	427.00	136.2	9	76404	633.00	136.2
K3-5 Sloped channel - 39.37" (1 m) <sup>1</sup>	76005	427.00	137.4	9	76405	633.00	137.4
K3-6 Sloped channel - 39.37" (1 m)	76006	427.00	138.6	9	76406	633.00	138.6
K3-7 Sloped channel - 39.37" (1 m)	76007	427.00	139.8	9	76407	633.00	139.8
K3-8 Sloped channel - 39.37" (1 m)	76008	427.00	141.0	9	76408	633.00	141.0
K3-9 Sloped channel - 39.37" (1 m)	76009	427.00	142.2	9	76409	633.00	142.2
K3-10 Sloped channel - 39.37" (1 m) <sup>1</sup>	76010	427.00	143.4	9	76410	633.00	143.4
K3-010 Constant depth channel - 39.37" (1 m) <sup>1</sup>	76043	427.00	143.4	9	76443	633.00	143.4
K3-0103 Constant depth channel - 19.69" (0.5 m) <sup>1</sup>	76044	286.00	75.3	18	76444	423.00	75.3
K3-11 Sloped channel - 39.37" (1 m)	76011	427.00	144.6	9	76411	633.00	144.6
K3-12 Sloped channel - 39.37" (1 m)	76012	427.00	145.8	9	76412	633.00	145.8
K3-13 Sloped channel - 39.37" (1 m)	76013	427.00	147.0	9	76413	633.00	147.0
K3-14 Sloped channel - 39.37" (1 m)	76014	427.00	148.2	9	76414	633.00	148.2
K3-15 Sloped channel - 39.37" (1 m) <sup>1</sup>	76015	427.00	149.4	9	76415	633.00	149.4
K3-16 Sloped channel - 39.37" (1 m)	76016	427.00	150.6	9	76416	633.00	150.6
K3-17 Sloped channel - 39.37" (1 m)	76017	427.00	151.8	9	76417	633.00	151.8
K3-18 Sloped channel - 39.37" (1 m)	76018	427.00	153.0	9	76418	633.00	153.0
K3-19 Sloped channel - 39.37" (1 m)	76019	427.00	154.2	9	76419	633.00	154.2
K3-20 Sloped channel - 39.37" (1 m) <sup>1</sup>	76020	427.00	155.4	9	76420	633.00	155.4
K3-020 Constant depth channel - 39.37" (1 m) <sup>1</sup>	76045	427.00	155.4	9	76445	633.00	155.4
K3-0203 Constant depth channel - 19.69" (0.5 m) <sup>1</sup>	76046	286.00	82.3	18	76446	423.00	82.3
K3-21 Sloped channel - 39.37" (1 m)	76021	427.00	156.7	9	76421	633.00	156.7
K3-22 Sloped channel - 39.37" (1 m)	76022	427.00	157.9	9	76422	633.00	157.9
K3-23 Sloped channel - 39.37" (1 m)	76023	427.00	159.1	9	76423	633.00	159.1
K3-24 Sloped channel - 39.37" (1 m)	76024	427.00	160.3	9	76424	633.00	160.3
K3-25 Sloped channel - 39.37" (1 m) <sup>1</sup>	76025	427.00	161.5	9	76425	633.00	161.5
K3-26 Sloped channel - 39.37" (1 m)	76026	427.00	162.7	9	76426	633.00	162.7
K3-27 Sloped channel - 39.37" (1 m)	76027	427.00	163.9	9	76427	633.00	163.9
K3-28 Sloped channel - 39.37" (1 m)	76028	427.00	165.1	9	76428	633.00	165.1
K3-29 Sloped channel - 39.37" (1 m)	76029	427.00	166.3	9	76429	633.00	166.3
K3-30 Sloped channel - 39.37" (1 m) <sup>1</sup>	76030	427.00	167.5	9	76430	633.00	167.5
K3-030 Constant depth channel - 39.37" (1 m) <sup>1</sup>	76047	427.00	167.5	9	76447	633.00	167.5
K3-0303 Constant depth channel - 19.69" (0.5 m) <sup>1</sup>	76048	286.00	89.5	18	76448	423.00	89.5
K3-31 Sloped channel - 39.37" (1 m)	76031	427.00	168.7	9	76431	633.00	168.7
K3-32 Sloped channel - 39.37" (1 m)	76032	427.00	169.9	9	76432	633.00	169.9
K3-33 Sloped channel - 39.37" (1 m)	76033	427.00	171.1	9	76433	633.00	171.1
K3-34 Sloped channel - 39.37" (1 m)	76034	427.00	172.3	9	76434	633.00	172.3
K3-35 Sloped channel - 39.37" (1 m) <sup>1</sup>	76035	427.00	173.5	9	76435	633.00	173.5
K3-36 Sloped channel - 39.37" (1 m)	76036	427.00	174.7	9	76436	633.00	174.7
K3-37 Sloped channel - 39.37" (1 m)	76037	427.00	175.9	9	76437	633.00	175.9
K3-38 Sloped channel - 39.37" (1 m)	76038	427.00	177.1	9	76438	633.00	177.1
K3-39 Sloped channel - 39.37" (1 m)	76039	427.00	178.3	9	76439	633.00	178.3
K3-40 Sloped channel - 39.37" (1 m) <sup>1</sup>	76040	427.00	179.5	9	76440	633.00	179.5
K3-040 Constant depth channel - 39.37" (1 m) <sup>1</sup>	76049	427.00	179.5	9	76449	633.00	179.5
K3-0403 Constant depth channel - 19.69" (0.5 m) <sup>1</sup>	76050	286.00	97.7	18	76450	423.00	97.7
K3-903G/903S In-line catch basin - 19.69" (0.5 m) <sup>2,4</sup>	94614	865.00	88.0	6	94615	907.00	88.0
K3-907G/907S In-line catch basin - 19.69" (0.5 m) <sup>4,5</sup>	97919	889.00	147.3	6	97920	944.00	147.3
K3-904G/904S In-line catch basin - 19.69" (0.5 m) <sup>3,4</sup>	94635	1,005.00	98.0	6	94636	1,045.00	98.0
K3-908G/908S In-line catch basin - 19.69" (0.5 m) <sup>4,6</sup>	97929	1,082.00	192.3	6	97930	1,130.00	192.3
Series 611 catch basin riser polymer (optional)	91110	239.00	45.0	24	91110	239.00	45.0
Series 600 catch basin riser plastic (optional)	99902	208.00	10.0	24	99902	208.00	10.0
Foul air trap - fits type 900 & 600 catch basins	90854	87.00	1.2	-	90854	87.00	1.2
K3 Universal inlet/outlet/end cap	96826	103.00	2.5	-	96826	103.00	2.5
Installation device - 12" system	97479	39.00	4.9	-	97479	39.00	4.9
Grate removal tool	01318	36.00	0.3	-	01318	36.00	0.3
QuickLok® locking bar - 12" system	10458	37.00	0.7	-	10458	37.00	0.7
QuickLok® locking bar - Series 900 catch basin	98717	28.00	0.1	-	98717	28.00	0.1

## DrainLok K300/KS300 Grates



		Length in (mm)	Part No.	Price \$	Weight lbs	Pallet Qty
<b>LOAD CLASS A - EN 1433 - 3,372 LBS - 58 PSI</b>						
	Type 847D Stainless longitudinal	39.37 (1000)	142223	<b>2,713.00</b>	29.0	100
	Type 848D Stainless longitudinal	19.69 (500)	142224	<b>1,807.00</b>	14.0	100
<b>LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI</b>						
	Type 860D Ductile iron slotted	19.69 (500)	13870	<b>248.00</b>	38.0	50
	Type 876D Ductile iron longitudinal	19.69 (500)	99588	<b>276.00</b>	35.0	48
	Type 880D Ductile iron wave	19.69 (500)	99581	<b>312.00</b>	37.0	36
	Type 805D Galvanized mesh Type 830D Stainless mesh	19.69 (500) 19.69 (500)	133675 133678	<b>506.00</b> <b>1,757.00</b>	26.2 29.5	50 50

## QuickLok® K300/KS300 grates



LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI

	Type 811Q Galvanized perforated	39.37 (1000)	98967	<b>912.00</b>	68.0	80
	Type 813Q Galvanized perforated	19.69 (500)	98966	<b>609.00</b>	34.0	80
	Type 865Q Stainless perforated	39.37 (1000)	98968	<b>2,148.00</b>	68.0	80
	Type 866Q Stainless perforated	19.69 (500)	98969	<b>1,516.00</b>	35.0	80

**QuickLok® K300/KS300 Grates (cont.)**

		Length in (mm)	Part No.	Price \$	Weight lbs	Pallet Qty
<b>LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI</b>						
	Type 878Q Ductile iron longitudinal	19.69 (500)	138130	<b>373.00</b>	52.0	36
	Type 861Q Ductile iron slotted	19.69 (500)	10431	<b>373.00</b>	58.0	36

**QuickLok® K300/KS300 Grates**

<b>LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI</b>						
	Type 847Q Stainless longitudinal	39.37 (1000)	98975	<b>2,503.00</b>	28.6	100
	Type 848Q Stainless longitudinal	19.69 (500)	98995	<b>1,668.00</b>	14.5	100
	Type 830Q Stainless mesh	19.69 (500)	16006	<b>1,703.00</b>	29.5	100

**K300 channel with galvanized edge rail and specified DrainLok grating**      \$/ft

<b>LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI</b>	
Type 805D Galvanized mesh	438.72
Type 860D Ductile iron slotted	281.40
Type 876D Ductile iron longitudinal	298.48
Type 880D Ductile iron wave	320.43

**K300 channel with galvanized edge rail, locking bars and specified QuickLok® grating**      \$/ft

<b>LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI</b>	
Type 811Q Galvanized perforated	430.79
<b>LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI</b>	
Type 878Q Ductile iron longitudinal	380.18
Type 861Q Ductile iron slotted	380.18

**KS300 channel with stainless edge rail and specified DrainLok grating**      \$/ft

<b>LOAD CLASS A - EN 1433 - 3,372 LBS - 58 PSI</b>	
Type 847D Stainless longitudinal	1,020.12
<b>LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI</b>	
Type 830D Stainless mesh	1,264.33
Type 860D Ductile iron slotted	344.21
Type 876D Ductile iron longitudinal	361.28
Type 880D Ductile iron wave	383.23


**KS300 channel with stainless edge rail, locking bars and specified QuickLok® grating**      \$/ft

<b>LOAD CLASS C - EN 1433 - 56,202 LBS - 967 PSI</b>	
Type 865Q Stainless steel perforated	870.43
<b>LOAD CLASS E - EN 1433 - 134,885 LBS - 2,321 PSI</b>	
Type 878Q Ductile iron longitudinal	442.99
Type 861Q Ductile iron slotted	442.99

**POLYMER CONCRETE**


**Shortened Channel**

Less than a standard channel length



Description	Part No.	Price \$
CUT & MALE/FEMALE DETAILS REMODELED		
K100/KS100/K50/H100K	06627	<b>68.50</b>
K200/KS200	06809	<b>117.00</b>
K300/KS300	06810	<b>163.00</b>
S100K	92782	<b>120.00</b>
S200K	06811	<b>169.00</b>
S300K	98335	<b>215.00</b>
SlabDrain 200SK/200K	06812	<b>179.00</b>
SlabDrain 300SK/300K	06813	<b>222.00</b>
Spill Curbs - Straight or angled cut	06505	<b>196.50</b>

**Bottom/Side Outlet**




4" core  
bottom/side  
drill out

CORE DRILL - POLYMER CONCRETE ONLY		
Standard 4" and 6" Sch. 40 pipes	92677	<b>56.00</b>
Non-standard pipe sizes - up to 10"	92688	<b>163.00</b>

**Direction Change**


Polymer concrete channels



SHORTENED CHANNEL & MALE/FEMALE DETAILS REMODELED		
K100/S100K	06629	<b>135.00</b>
K200/K300/SK200/SK300	06845	<b>160.00</b>

**POLYMER CONCRETE**


**Full Length Tee**



Description	Part No.	Price \$
CUT & MALE/FEMALE DETAILS REMODELED		
K100/KS100/NW100	06631	<b>332.00</b>
K200/KS200	06846	<b>351.00</b>
K300/KS300	06847	<b>387.00</b>
S100K	92714	<b>387.00</b>
S200K	06833	<b>413.00</b>
S300K	98318	<b>437.00</b>

Note: parts are shipped un-assembled but have male/female to aid alignment on site.

**Shortened Tee**



CUT & BONDED OR MALE/FEMALE DETAILS ADDED		
K100/KS100/NW100	06632	<b>344.00</b>
K200/KS200/S200K/S100K	06838	<b>370.00</b>
K300/KS300/S300K	06839	<b>400.00</b>
S100K/H100K	92776	<b>400.00</b>

Note: parts are only shipped assembled where one channel is less than 19.69" (500 mm). Un-assembled channels have male/female to aid alignment on site.

**KlassikDrain K300 Spare Parts**

	Part No.	Price \$
<b>K3 903G CATCH BASIN</b>	<b>94614</b>	<b>865.00</b>
K3 600 Galvanized catch basin blank kit	138210	<b>76.00</b>
Series 600 Plastic trash bucket short	98653	<b>132.00</b>
K3 903G Top	99889	<b>449.00</b>
Type 600 Plastic catch basin base	99903	<b>208.00</b>
QuickLok® locking bar (removable)	10458	<b>37.00</b>

<b>KS3 903S CATCH BASIN</b>	<b>94615</b>	<b>907.00</b>
KS3 600 Stainless catch basin blank kit	138211	<b>76.00</b>
Series 600 Plastic trash bucket short	98653	<b>132.00</b>
K3 903S Top	99888	<b>499.00</b>
Type 600 Plastic catch basin base	99903	<b>208.00</b>
QuickLok® locking bar (removable)	10458	<b>37.00</b>

<b>K3 907G CATCH BASIN</b>	<b>97919</b>	<b>889.00</b>
K3 600 Galvanized catch basin blank kit	138210	<b>76.00</b>
Series 600 Plastic trash bucket short	98653	<b>132.00</b>
K3 903 Top	99889	<b>449.00</b>
Type 612 Polymer concrete catch basin base	01614	<b>258.00</b>
QuickLok® locking bar (removable)	10458	<b>37.00</b>

<b>KS3 907S CATCH BASIN</b>	<b>97920</b>	<b>944.00</b>
KS3 600 Stainless catch basin blank kit	138211	<b>76.00</b>
Series 600 Plastic trash bucket short	98653	<b>132.00</b>
K3 903S Top	99888	<b>499.00</b>
Type 612 Polymer concrete catch basin base	01614	<b>258.00</b>
QuickLok® locking bar (removable)	10458	<b>37.00</b>

<b>K3 904G CATCH BASIN</b>	<b>94635</b>	<b>1,005.00</b>
K3 600 Galvanized catch basin blank kit	138210	<b>76.00</b>
Series 600 Plastic trash bucket deep	98665	<b>166.00</b>
K3 903G Top	99889	<b>449.00</b>
Series 600 Optional riser	99902	<b>208.00</b>
Type 600 Plastic catch basin base	99903	<b>208.00</b>
QuickLok® locking bar (removable)	10458	<b>37.00</b>

<b>KS3 904S CATCH BASIN</b>	<b>94636</b>	<b>1,045.00</b>
KS3 600 Stainless catch basin blank kit	138211	<b>76.00</b>
Series 600 Plastic trash bucket deep	98665	<b>166.00</b>
K3 903S Top	99888	<b>499.00</b>
Series 600 Optional riser	99902	<b>208.00</b>
Type 600 Plastic catch basin base	99903	<b>208.00</b>
QuickLok® locking bar (removable)	10458	<b>37.00</b>

<b>K3 908G CATCH BASIN</b>	<b>97929</b>	<b>1,082.00</b>
K3 600 Galvanized catch basin blank kit	138210	<b>76.00</b>
Series 600 Plastic trash bucket deep	98665	<b>166.00</b>
K3 903G Top	99889	<b>449.00</b>
Series 611 Optional polymer riser	91110	<b>239.00</b>
Type 612 Polymer concrete catch basin base	01614	<b>258.00</b>
QuickLok® locking bar (removable)	10458	<b>37.00</b>

<b>KS3 908S CATCH BASIN</b>	<b>97930</b>	<b>1,130.00</b>
KS3 600 Stainless catch basin blank kit	138211	<b>76.00</b>
Series 600 Plastic trash bucket deep	98665	<b>166.00</b>
K3 903S Top	99888	<b>499.00</b>
Series 611 Optional polymer riser	91110	<b>239.00</b>
Type 612 Polymer concrete catch basin base	01614	<b>258.00</b>
QuickLok® locking bar (removable)	10458	<b>37.00</b>