











Pipe - Straight Pipe

Parts	Part No.	Length (L) ft (m)	Material	Gasket Material	Weight lbs	
D40 (1.57")	417320	0.49 (0.15)	AISI 316L	EPDM	0.5	
	417322	0.85 (0.25)	AISI 316L	EPDM	0.8	
	417324	1.64 (0.50)	AISI 316L	EPDM	1.5	
	417326	2.46 (0.75)	AISI 316L	EPDM	1.9	
	417328	3.28 (1.00)	AISI 316L	EPDM	2.4	
	417330	4.92 (1.50)	AISI 316L	EPDM	3.4	
	417332	6.56 (2.00)	AISI 316L	EPDM	4.5	
	417262	8.20 (2.50)	AISI 316L	EPDM	5.6	
	417334	9.84 (3.00)	AISI 316L	EPDM	6.6	
D50 (1.97")	98550	0.49 (0.15)	AISI 316L	EPDM	0.6	
	98552	0.85 (0.25)	AISI 316L	EPDM	0.8	
	98554	1.64 (0.50)	AISI 316L	EPDM	1.5	
	98556	2.46 (0.75)	AISI 316L	EPDM	2.2	
	98558	3.28 (1.00)	AISI 316L	EPDM	2.9	
	98560-BD	4.92 (1.50)	AISI 316L	EPDM	4.3	
	98562-BD	6.56 (2.00)	AISI 316L	EPDM	5.7	
	419282	8.20 (2.50)	AISI 316L	EPDM	7.0	
	98564	9.84 (3.00)	AISI 316L	EPDM	8.4	
D75 (2.95")	98566	0.49 (0.15)	AISI 316L	EPDM	0.9	
	98568	0.85 (0.25)	AISI 316L	EPDM	1.3	
	98570	1.64 (0.50)	AISI 316L	EPDM	2.4	
	98572-BD	2.46 (0.75)	AISI 316L	EPDM	3.4	
	98574	3.28 (1.00)	AISI 316L	EPDM	4.4	
	98576	4.92 (1.50)	AISI 316L	EPDM	6.5	
	98578	6.56 (2.00)	AISI 316L	EPDM	8.6	
	419284	8.20 (2.50)	AISI 316L	EPDM	10.6	
	98580	9.84 (3.00)	AISI 316L	EPDM	12.7	
D110 (4.33")	98582	0.49 (0.15)	AISI 316L	EPDM	1.4	
	98584	0.85 (0.25)	AISI 316L	EPDM	2.0	
	98586	1.64 (0.50)	AISI 316L	EPDM	3.5	
	98588	2.46 (0.75)	AISI 316L	EPDM	5.0	
	98590	3.28 (1.00)	AISI 316L	EPDM	6.6	
	98592	4.92 (1.50)	AISI 316L	EPDM	9.6	
	98594	6.56 (2.00)	AISI 316L	EPDM	12.6	
	419286	8.20 (2.50)	AISI 316L	EPDM	15.7	
	98596	9.84 (3.00)	AISI 316L	EPDM	18.7	
D125 (4.92")	419712	0.49 (0.15)	AISI 316L	EPDM	1.6	
	419714	0.85 (0.25)	AISI 316L	EPDM	2.3	
	419716	1.64 (0.50)	AISI 316L	EPDM	4.0	
	419718	2.46 (0.75)	AISI 316L	EPDM	5.8	
	419720	3.28 (1.00)	AISI 316L	EPDM	7.3	
	419722	4.92 (1.50)	AISI 316L	EPDM	10.9	
	419724	6.56 (2.00)	AISI 316L	EPDM	13.8	
	419728	8.20 (2.50)	AISI 316L	EPDM	17.8	
	419726	9.84 (3.00)	AISI 316L	EPDM	20.4	
D160 (6.30")	98598	0.49 (0.15)	AISI 316L	EPDM	2.6	
	98650	0.85 (0.25)	AISI 316L	EPDM	3.7	
	98652	1.64 (0.50)	AISI 316L	EPDM	6.5	
	98654	2.46 (0.75)	AISI 316L	EPDM	9.3	
	98656	3.28 (1.00)	AISI 316L	EPDM	12.0	
	98658	4.92 (1.50)	AISI 316L	EPDM	17.6	
	98660	6.56 (2.00)	AISI 316L	EPDM	23.1	
	419288	8.20 (2.50)	AISI 316L	EPDM	28.6	
	98662	9.84 (3.00)	AISI 316L	EPDM	34.1	
D200 (7.87")	419384	1.64 (0.50)	AISI 316L	EPDM	9.9	
	419388	3.28 (1.00)	AISI 316L	EPDM	18.2	
	419392	6.56 (2.00)	AISI 316L	EPDM	34.8	
	419396	9.84 (3.00)	AISI 316L	EPDM	51.4	
	D250 (9.84")	417072	1.64 (0.50)	AISI 316L	EPDM	12.1
		417076	3.28 (1.00)	AISI 316L	EPDM	22.4
		417080	6.56 (2.00)	AISI 316L	EPDM	43.6
	D315 (12.40")	417084	9.84 (3.00)	AISI 316L	EPDM	63.8
		417200	1.64 (0.50)	AISI 316L	EPDM	21.5
417201		3.28 (1.00)	AISI 316L	EPDM	38.9	
417202	6.56 (2.00)	AISI 316L	EPDM	73.7		
417203	9.84 (3.00)	AISI 316L	EPDM	108.5		



Specification Clause

Used with ACO Pipe. Made from AISI 316L. Resistant to thermal and dynamic shocks. Rodent-proof and sag-proof. Non-combustible. Double-lipped seal push-fit connection. Designed for gravity piping system with maximum working pressure of 0.5 bar. Socket Clamps, NBR and FPM gasket material available upon request. Socket clamp can increase maximum operating pressure. Manufactured to EN 1124-1 and 1124-2.

ACO recommends checking local plumbing codes prior to installation.

ACO Specification Information

ACO, Inc.

West Sales Office info@acousa.com
 825 W. Beechcraft Street www.acousa.com
 Casa Grande, AZ 85122 www.acobuildingdrainage.us
 Tel: (520) 421-9988
 Toll-Free: (888) 490-9552
 Fax: (520) 421-9899

© March 2022 ACO, Inc.
 All reasonable care has been taken in compiling the information in this document. All recommendations and suggestions on the use of ACO products are made without guarantee since the conditions of use are beyond the control of the company. It is the customer's responsibility to ensure that each product is fit for its intended purpose and that the actual conditions of use are suitable. ACO, Inc. reserves the right to change products and specifications without notice.

ACO. creating the future of drainage

