

Wildlife Guidance & Passage Systems

Product Line Overview



ACO. creating

the future of drainage

The ACO Group

Founded in 1946, the ACO Group is a world leader in drainage technology. Climate change sets us a challenge to react effectively with innovative solutions to new environmental conditions. With its integrated approach, ACO provides systems for professional surface water drainage, efficient cleaning, and the controlled discharge or reuse of water.

Products include:

- surface water drainage
- oil, sediment, heavy metal and grease separators
- detention, retention and infiltration systems
- flow control release products

Major innovative strengths of the ACO Group are its continuous research & development and technical expertise in the processing of polymer concrete, plastics, cast iron, stainless steel and cement concretes.

ACO in the USA

ACO, Inc. was founded in Ohio, 1978. Since then, continuous growth in the USA has seen the company expand and build manufacturing facilities in Mentor, OH, and Casa Grande, AZ. The company has further locations in Phoenix, AZ, and Fort Mill, SC. Today, ACO USA has sales personnel across the country and an extensive distribution network through all states, the Caribbean and Central America.

ACO Wildlife


Working in conjunction with environmental specialists, ACO has utilized its extensive knowledge of surface drainage to develop an effective wildlife tunnel and fencing system.

As opposed to the unnatural relocation of spawning grounds and other natural habitats, wildlife guidance systems are readily used by animals who would otherwise need to cross a road surface to reach their habitats. Surrounding fencing leading to tunnel systems safely leads amphibians, reptiles and small mammals underneath and across roads, a measure protecting both animals and humans.



Amphibians and Roads

Conflict exists between the natural migration instincts of animals and increased vehicle traffic and demands for more highways. ACO's solution works for both motorists and wildlife without compromising the needs of either.




During the Spring mating season amphibians—such as toads and salamanders—seek water to spawn. Once ground temperatures have risen above freezing, the migration begins. Being nocturnal, amphibians begin to appear at dusk to make their way to a pond to mate. The journey from land to water may be as much as a few miles, taking several days and crossing one or more roads. In Autumn, the migration is reversed as they seek sheltered ground in preparation for Winter.

The migratory journeys pose risks from vehicles and roads that intersect the migration routes. It takes several minutes to cross a road, and thousands of creatures can be killed in a single evening. This risk affects motorists, too, as roads can become slippery and drivers may swerve to avoid amphibians and animals on the road, leading to possible traffic accidents.

Relocating breeding ponds is not always effective as some amphibians use the new pond and others instinctively returning to their original breeding pond. A solution which prevents changes to the original migratory paths is ideal.

Project Design

Tunnels are installed at intervals along the road between the pond and the Winter habitat. Fencing should be installed to direct the animals towards the tunnel entrance. The best design is to arch or angle the fence so that the toads follow the curve rather than meet a dead end and stop. To ensure the correct layout, the installer should take specialist advice from a qualified herpetologist, biologist or conservation officer.



Tunnel and Fence Guidance System

Features & Benefits

1

Wildlife Fence

Guides animals towards the tunnel entrance while blocking access to road surfaces to provide a safe migratory route.

Fencing can also be used on its own to provide containment for small animals.

2 Tunnel Entrance

Seamlessly connects fencing to the tunnel without gaps that could allow animals access to the hazardous road surface.


3 Wildlife Tunnel


Provides a safe route beneath and across the road, away from the hazards of vehicles. Also protects road users from the hazard of large volumes of migrating animals along the road.





The curved shape of the fence helps prevent animals climbing over from the protected side while allowing animals to climb from the road and drop to safety. The curved shape also offers protection from natural predators and strong sunlight.






Tunnel and Fence Guidance System Parts	Part No.	Length in (mm)	Width in (mm)	Height in (mm)	Weight Ibs
WILDLIFE TUNNEL					
KT500 Tunnel	11120	39.37 (1000)	24.80 (630)	20.47 (520)	566.5
KT500 Tunnel - Solid Top	11122	39.37 (1000)	24.80 (630)	20.47 (520)	566.5
WILDLIFE TUNNEL ENTRANCE					
Tunnel Entrance Unit	99712	29.53 (750)	21.47 (545)	20.47 (520)	17.6
Swallow Tail (optional)	99707	78.74 (2000)	0.25 (6)	5.91 (150)	8.4
WILDLIFE FENCE					
Fence	99705	39.37 (1000)	20.67 (525)	17.20 (437)	17.6
Post	99708	30.00 (762)	1.57 (70)	-	2.5
Nail (20 count)	99710	7.00 (178)	Ø 0.25 (6)	-	1.5

KT500 Tunnel


part no. 11120







Tunnel Entrance Unit


part no. 99712









Note: Swallow tail can be installed into Tunnel Entrance Unit.












Climate Tunnel


Features & Benefits



07


Also protects road users from the hazard of large volumes of migrating animals along

the road.




Climate Tunnel and Amphibian Wall Parts	Part No.	Length in (mm)	Width in (mm)	Height in (mm)	Weight Ibs
CLIMATE TUNNEL					
Climate Tunnel Entrance	11124	39.37 (1000)	39.37 (1000)	20.47 (520)	626.1
Climate Tunnel Entrance Right	11125	42.91 (1090)	11.77 (299)	28.35 (720)	148.8
Climate Tunnel Entrance Left	11126	42.91 (1090)	11.77 (299)	28.35 (720)	146.6
ACCESSORIES					
Climate Plate	11127	18.90 (480)	18.90 (480)	1.97 (50)	35.3
Stepdown Plate	11129	22.83 (580)	1.97 (50)	11.81 (300)	15.2
CLIMATE TUNNEL					
Amphibian Guide Wall	17845	39.37 (1000)	18.46 (469)	17.68 (449)	101.4
Amphibian Guide Wall - Inner Curve	18407	21.97 (558)	18.46 (469)	17.68 (449)	55.2
Amphibian Guide Wall - Outer Curve	18408	21.06 (535)	18.46 (469)	17.68 (449)	55.2
Amphibian Guide Wall - Ascending Element	18406	21.61 (539)	18.46 (469)	17.68 (449)	53.0
Amphibian Guide Wall - Cascading Element	18405	21.61 (549)	18.46 (469)	17.68 (449)	59.6

Climate Tunnel Entrance part no. 11124 29.53" (750 mm) 000 39.37" (1000 mm) 00 00 00 00 00 00 00




Climate Plate part no. 11127 18.90" (480 mm) 18.90" (480 mm) 0




Climate Tunnel Entrance Right part no. 11125

39.37" (1000 mm)


42.91" (1090 mm)







Climate Tunnel Entrance Left part no. 11126

42.91" (1090 mm)







ACO products support the ACO System Chain









Surface Water Management

- ACO Drain Commercial Trench Drains
- ACO Infrastructure Heavy Duty Drainage
- ACO Sport Athletic Venue Drainage
- ACO StormBrixx Geocellular Tanks
- ACO Aquaduct Custom Drainage
- ACO Environment Solid & Oil Separators
- ACO Wildlife Guidance & Passage
- ACO Self Garden & Landscape Drainage
- ACO UtilityDuct Ducting System

Building Drainage

- ACO Stainless Stainless Trench Drains
- ACO BoxDrain Stainless Hygienic Drains
- ACO FloorDrain Stainless Point Drains
- ACO Pipe Stainless Push-fit Piping
- ACO ShowerDrain Bathroom Drainage

ACO, Inc.

West Sales Office 825 W. Beechcraft Street Casa Grande, AZ 85122 Tel: (520) 421-9988 Toll-Free: (888) 490-9552 Fax: (520) 421-9899 Northeast Sales Office 9470 Pinecone Drive Mentor, OH 44060 Tel: (440) 639-7230 Toll-Free: (800) 543-4764 Fax: (440) 639-7235 Southeast Sales Office 4211 Pleasant Road Fort Mill, SC 29708 Toll-Free: (800) 543-4764 Fax: (803) 802-1063 info@acousa.com www.acousa.com

© February 2022 ACO, Inc.

All reasonable care has been taken in compiling the information in this document. All recommendations and suggestions on the use of ACO products are made without guarantee since the conditions of use are beyond the control of the company. It is the customer's responsibility to ensure that each product is fit for its intended purpose and that the actual conditions of use are suitable. ACO, Inc. reserves the right to change products and specifications without notice.

Print #WL300

